Information Processing Letters 40 (1991) 349–364
North-Holland

Master Index of Volumes 31–40

(For the sake of simplicity and uniformity, all names beginning with articles or prepositions are listed as if written as single words.)

Abadi, M., B. Alpern, K.R. Apt, N. Francez, S. Katz, L. Lamport and **F.B. Schneider,** Preserving liveness: Comments on "Safety and liveness from a methodological point of view" 40 (3) (1991) 141–142

Abiteboul, S., Boundedness is undecidable for Datalog programs with a single recursive rule 32 (6) (1989) 281–287

Abiteboul, S., M. Gyssens and **D. Van Gucht,** An alternative way to represent the cogroup of a relation in the context of nested data-bases 32 (6) (1989) 317–324

Acketa, D.M. and **J.D. Žunić,** On the number of linear partitions of the (m, n)-grid 38 (3) (1991) 163–169

Aggarwal, A. and **M. Hawrylycz,** On computing the closest boundary point on the convex hull 31 (6) (1989) 311–314

Aggarwal, A. and **D. Kravets,** A linear time algorithm for finding all farthest neighbors in a convex polygon 31 (1) (1989) 17–20

Aggarwal, A. and **T. Leighton,** A tight lower bound for the train reversal problem 35 (6) (1990) 301–304

Aggarwal, A. and **P. Raghavan,** Deferred data structure for the nearest neighbor problem 40 (3) (1991) 119–122

Aggarwal, A. and **S. Suri,** Computing the longest diagonal of a simple polygon 35 (1) (1990) 13–18

Agrawal, D. and **A. El Abbadi,** Exploiting logical structures in replicated databases 33 (5) (1989/90) 255–260

Ahmed, K.U., *see* **Sagar, G.** 32 (3) (1989) 151–153

Ahson, S.I., *see* **Garg, M.L.** 39 (3) (1991) 165–171

Ahuja, M., *Flush* primitives for asynchronous distributed systems 34 (1) (1990) 5–12

Ahuja, M. and **Y. Zhu,** An $O(n \log n)$ feasibility algorithm for preemptive scheduling of n independent jobs on a hypercube 35 (1) (1990) 7–11

Akl, S., *see* **Qiu, K.** 39 (3) (1991) 125–129

Akl, S.G., D. Gries and **I. Stojmenovic,** An optimal parallel algorithm for generating combinations 33 (3) (1989/90) 135–139

Akl, S.G., *see* **Chen, C.C.-Y.** 38 (1) (1991) 49–55

Alblas, H., Optimal incremental simple multi-pass attribute evaluation 32 (6) (1989) 289–295

Allender, E. and **V. Gore,** Rudimentary reductions revisited 40 (2) (1991) 89–95

Allison, L., Direct semantics and exceptions define jumps and coroutines 31 (6) (1989) 327–330

Allison, L., T.I. Dix and **C.N. Yee,** Shortest path and closure algorithms for banded matrices 40 (6) (1991) 317–322

Alon, N., Generating pseudo-random permutations and maximum flow algorithms 35 (4) (1990) 201–204

Alpern, B., *see* **Abadi, M.** 40 (3) (1991) 141–142

Alt, H., N. Blum, K. Mehlhorn and **M. Paul,** Computing a maximum cardinality matching in a bipartite graph in time $O(n^{1.5}\sqrt{m/\log n})$ 37 (4) (1991) 237–240

Althöfer, I., Tight lower bounds on the length of word chains 34 (5) (1990) 275–276

Altman, T. and **B.S. Chlebus,** Sorting roughly sorted sequences in parallel 33 (6) (1989/90) 297–300

Altman, T. and **G. Logothetis,** A note on ambiguity in context-free grammars 35 (3) (1990) 111–114

Àlvarez, C. and **J. Gabarró,** The parallel complexity of two problems on concurrency 38 (2) (1991) 61–70

Anderson, R.J. and **G.L. Miller,** A simple randomized parallel algorithm for list-ranking 33 (5) (1989/90) 269–273

Andersson, A. and **S. Carlsson,** Construction of a tree from its traversals in optimal time and space 34 (1) (1990) 21–25

Apostolico, A., M. Farach and **C.S. Iliopoulos,** Optimal superprimitivity testing for strings 39 (1) (1991) 17–20

Apt, K.R., *see* **Abadi, M.** 40 (3) (1991) 141–142

Atallah, M.J. and **D.Z. Chen,** An optimal parallel algorithm for the minimum circle-cover problem 32 (4) (1989) 159–165

Atkinson, M.P., *see* **Morrison, R.** 34 (1) (1990) 51–55

Avis, D., J.M. Robert and **R. Wenger,** Lower bounds for line stabbing 33 (2) (1989/90) 59–62

Baeza-Yates, R., *see* **Manber, U.** 37 (3) (1991) 133–136

Baeza-Yates, R.A., Height balance distribution of search trees 39 (6) (1991) 317–324

Baeza-Yates, R.A., *see* **Gonnet, G.H.** 34 (5) (1990) 271–274

Bagchi, A., S.L. Hakimi, J. Mitchem and **E. Schmeichel,** Parallel algorithms for gossiping by mail 34 (4) (1990) 197–202

Bajaj, C.L. and **T. Dey,** Polygon nesting and robustness 35 (1) (1990) 23–32

Bandyopadhyay, A.K., *see* **Pramanik, P.** 38 (3) (1991) 157–161

Bandyopadhyay, S., *see* **Sengupta, A.** 34 (6) (1990) 323–328

Barbosa, V.C., Blocking versus nonblocking interprocess communication: a note on the effect on concurrency 36 (4) (1990) 171–175

Barnard, D.T. and **D.B. Skillicorn,** Pipelining tree-structured algorithms on SIMD architectures 35 (2) (1990) 79–84

Barnard, D.T., *see* **Skillicorn, D.B.** 31 (3) (1989) 111–117

Baron, G. and **F. Urbanek,** Factorial languages with quadratically upper bounded growth functions and nonlinearly

Elsevier Science Publishers B.V.

upper bounded subword complexities 32 (5) (1989) 267–269

Barrington, D.A.M. and **J. Corbett,** On the relative complexity of some languages in NC^1 32 (5) (1989) 251–256

Barsi, F., Mod m arithmetic in binary systems 40 (6) (1991) 303–309

Bartha, M. and **É. Gombás,** A structure theorem for maximum internal matchings in graphs 40 (6) (1991) 289–294

Basart, J.M., Some upper bounds for minimal trees 38 (4) (1991) 209–213

Basart, J.M. and **L. Huguet,** An approximation algorithm for the TSP 31 (2) (1989) 77–81

Bataineh, A., F. Özgüner and **A. Sarwal,** Parallel Boolean operations for information retrieval 39 (2) (1991) 99–108

Beaudry, M., Characterization of idempotent transformation monoids 31 (3) (1989) 163–166

Beauquier, D., An undecidable problem about rational sets and contour words of polyominoes 37 (5) (1991) 257–263

Beigel, R., L.A. Hemachandra and **G. Wechsung,** Probabilistic polynomial time is closed under parity reductions 37 (2) (1991) 91–94

Berghammer, R., G. Schmidt and **H. Zierer,** Symmetric quotients and domain constructions 33 (3) (1989/90) 163–168

Bermudez, M.E. and **G. Logothetis,** Simple computation of LALR(1) lookahead sets 31 (5) (1989) 233–238

Bern, M. and **P. Plassmann,** The Steiner problem with edge lengths 1 and 2 32 (4) (1989) 171–176

Bertolazzi, P. and **A. Sassano,** A decomposition strategy for the vertex cover problem 31 (6) (1989) 299–304

Bertoni, A., M. Goldwurm and **P. Massazza,** Counting problems and algebraic formal power series in noncommuting variables 34 (3) (1990) 117–121

Bertossi, A.A. and **S. Moretti,** Parallel algorithms on circular-arc graphs 33 (6) (1989/90) 275–281

Bestougeff, H., *see* **Ligozat, G.** 32 (4) (1989) 177–182

Bijlsma, A., Derivation of logic programs by functional methods 39 (6) (1991) 325–332

Biró, M., Object-oriented interaction in resource constrained scheduling 36 (2) (1990) 65–67

Biskup, J., Boyce–Codd normal form and object normal forms 32 (1) (1989) 29–33

Blair, J.R.S. and **E.L. Lloyd,** The benefits of external wires in single row routing 40 (1) (1991) 43–49

Blass, A. and **Y. Gurevich,** On Matijasevitch's nontraditional approach to search problems 32 (1) (1989) 41–45

Block, K. and **T.-K. Woo,** A more efficient generalization of Peterson's mutual exclusion algorithm 35 (5) (1990) 219–222

Bloniarz, P.A. and **S.S. Ravi,** An $\Omega(n \log n)$ lower bound for decomposing a set of points into chains 31 (6) (1989) 319–322

Blum, N., *see* **Alt, H.** 37 (4) (1991) 237–240

Bodlaender, H.L., Achromatic number is NP-complete for cographs and interval graphs 31 (3) (1989) 135–138

Bodlaender, H.L. and **G. Tel,** Bit-optimal election in synchronous rings 36 (1) (1990) 53–56

Böhme, J.F., *see* **Kocsis, F.** 36 (6) (1990) 281–283

Bonnier, S., U. Nilsson and **T. Näslund,** A simple fixed point characterization of three-valued stable model semantics 40 (2) (1991) 73–78

Book, R.V., On random oracle separations 39 (1) (1991) 7–10

Book, R.V. and **S. Tang,** A note on sparse sets and the polynomial-time hierarchy 33 (3) (1989/90) 141–143

Book, R.V., *see* **Diekert, V.** 40 (1) (1991) 21–23

Boppana, R.B., The average-case parallel complexity of sorting 33 (3) (1989/90) 145–146

Boreddy, J. and **R.N. Mukherjee,** An algorithm to find polygon similarity 33 (4) (1989/90) 205–206

Boxer, L. and **R. Miller,** A parallel circle-cover minimization algorithm 32 (2) (1989) 57–60

Boxer, L. and **R. Miller,** Common intersections of polygons 33 (5) (1989/90) 249–254

Boxer, L. and **R. Miller,** Common intersections of polygons (*Corrigenda*) 35 (1) (1990) 53

Boyd, S. and **H. Ural,** The synchronization problem in protocol testing and its complexity 40 (3) (1991) 131–136

Bradford, J.H., Sequence matching with binary codes 34 (4) (1990) 193–196

Bradford, J.H. and **T.A. Jenkyns,** On the inadequacy of tournament algorithms for the N-SCS problem 38 (4) (1991) 169–171

Brandt, J., C. Cabrelli and **U. Molter,** An algorithm for the computation of the Hutchinson distance 40 (2) (1991) 113–117

Brewster, R. and **G. MacGillivray,** A note on restricted H-colouring 40 (3) (1991) 149–151

Brogi, A., E. Lamma and **P. Mello,** Hypothetical reasoning in logic programming: a semantic approach 36 (6) (1990) 285–291

Bron, C. and **W.H. Hesselink,** Smoothsort revisited 39 (5) (1991) 269–276

Brown, A.L., *see* **Morrison, R.** 34 (1) (1990) 51–55

Brozovsky, E.R., *see* **Chen, W.-H.** 36 (1) (1990) 7–11

Bryant, B.R., *see* **Dey, P.** 34 (2) (1990) 65–69

Buchta, C., On the average number of maxima in a set of vectors 33 (2) (1989/90) 63–65

Burris, S. and **J. Lawrence,** Unification in commutative rings is not finitary 36 (1) (1990) 37–38

Cabrelli, C., *see* **Brandt, J.** 40 (2) (1991) 113–117

Cai, J.-y., Lower bounds for constant-depth circuits in the presence of help bits 36 (2) (1990) 79–83

Cai, J.-y. and **L.A. Hemachandra,** A note on enumerative counting 38 (4) (1991) 215–219

Campbell, D. and **J. Higgins,** Minimal visibility graphs 37 (1) (1991) 49–53

Carlsson, S., An optimal algorithm for deleting the root of a heap 37 (2) (1991) 117–120

Carlsson, S., J. Chen and **Th. Strothotte,** A note on the construction of data structure "deap" 31 (6) (1989) 315–317

Carlsson, S. and **J. Chen,** An optimal parallel adaptive sorting algorithm 39 (4) (1991) 195–200

Carlsson, S., *see* **Andersson, A.** 34 (1) (1990) 21–25
Carson, S.D. and **P. Vongsathorn,** Error bounds on disk arrangement using frequency information 31 (4) (1989) 209–213
Casas, R., J. Díaz and **J.M. Steyaert,** Average case analysis of Robinson's unification algorithm with two different variables 31 (5) (1989) 227–232
Ceri, S., G. Gottlob, L. Tanca and **G. Wiederhold,** Magic semi-joins 33 (2) (1989/90) 97–107
Chaiken, S., *see* **Wee, Y.C.** 34 (2) (1990) 71–76
Chakrabarti, P.P., S. Ghose, A. Pandey and **S.C. De Sarkar,** Increasing search efficiency using multiple heuristics (*Corrigenda*) 32 (4) (1989) 275
Chakrabarti, P.P., *see* **Sarkar, U.K.** 37 (1) (1991) 43–48
Chandrasekharan, N., Isomorphism testing of k-trees is in NC, for fixed k 34 (6) (1990) 283–287
Chang, C.-K. and **M.G. Gouda,** On the minimum requirements for independent recovery in distributed systems 37 (1) (1991) 1–7
Chang, M.S., N.-F. Huang and **C.-Y. Tang,** An optimal algorithm for constructing oriented Voronoi diagrams and geographic neighborhood graphs 35 (5) (1990) 255–260
Chang, R.S., Single step graph search problem 40 (2) (1991) 107–111
Chang, R.S., *see* **Hsiao, J.Y.** 40 (5) (1991) 283–287
Chang, S.-K., *see* **Tucci, M.** 39 (5) (1991) 241–243
Charron-Bost, B., Concerning the size of logical clocks in distributed systems 39 (1) (1991) 11–16
Chaudhuri, S. and **R.E. Ladner,** Safety and liveness of ω-context-free languages 37 (1) (1991) 13–20
Chen, C.C.-Y., S.K. Das and **S.G. Akl,** A unified approach to parallel depth-first traversals of general trees 38 (1) (1991) 49–55
Chen, C.-L., *see* **Wang, B.-F.** 37 (6) (1991) 327–329
Chen, D.Z., *see* **Atallah, M.J.** 32 (4) (1989) 159–165
Chen, G.H., *see* **Chen, Y.C.** 32 (2) (1989) 89–93
Chen, G.H., *see* **Chern, M.-S.** 32 (2) (1989) 61–71
Chen, G.-H., *see* **Wang, B.-F.** 34 (4) (1990) 187–192
Chen, G.-H., *see* **Wang, B.-F.** 36 (1) (1990) 31–36
Chen, G.-H., *see* **Wang, B.-F.** 37 (6) (1991) 327–329
Chen, J., Characterizing parallel hierarchies by reducibilities 39 (6) (1991) 303–307
Chen, J., J. Cox and **B. Mishra,** An NL hierarchy 39 (1) (1991) 21–26
Chen, J., *see* **Carlsson, S.,** 31 (6) (1989) 315–317
Chen, J., *see* **Carlsson, S.** 39 (4) (1991) 195–200
Chen, N.-S., H.-P. Yu and **S.-T. Huang,** A self-stabilizing algorithm for constructing spanning trees 39 (3) (1991) 147–151
Chen, W.-C., *see* **Chung, K.-L.** 33 (2) (1989/90) 67–72
Chen, W.-H., C.-S. Lu, E.R. Brozovsky and **J.-T. Wang,** An optimization technique for protocol conformance testing using multiple UIO sequences 36 (1) (1990) 7–11
Chen, W.-H. and **C.Y. Tang,** Computing the optimal IO sequences of a protocol in polynomial time 40 (3) (1991) 145–148
Chen, W.-T., *see* **Horng, S.-J.** 38 (1) (1991) 29–37
Chen, Y.C., Z.C. Yeh and **G.H. Chen,** Using fewer processors to reduce time complexities of semigroup computations 32 (2) (1989) 89–93
Chen, Z.-Z., A randomized NC algorithm for the maximal tree cover problem 40 (5) (1991) 241–246
Cheng, J., An algebraic semantics of notional entailment logic Cn 36 (3) (1990) 117–121
Cheng, K.H., *see* **Wang, Q.** 37 (5) (1991) 291–297
Cheng, S.W. and **R. Janardan,** Efficient dynamic algorithms for some geometric intersection problems 36 (5) (1990) 251–258
Cheng, X., A graph transformation algorithm for concurrency control in a partitioned database 38 (1) (1991) 43–48
Cherief, F. and **Ph. Schnoebelen,** τ-Bisimulations and full abstraction for refinement of actions 40 (4) (1991) 219–222
Cheriyan, J. and **S.N. Maheshwari,** The parallel complexity of finding a blocking flow in a 3-layer network 31 (3) (1989) 157–161
Chern, M.-S., G.H. Chen and **P. Liu,** An LC branch-and-bound algorithm for the module assignment problem 32 (2) (1989) 61–71
Chern, M.-S., *see* **Hsu, L.-H.** 39 (5) (1991) 277–281
Cheston, G.A., A. Farley, S.T. Hedetniemi and **A. Proskurowski,** Centering a spanning tree of a biconnected graph 32 (5) (1989) 247–250
Cheung, S.Y., *see* **Kumar, A.** 40 (6) (1991) 311–316
Chiang, Z.-F., *see* **Sheu, J.-P.** 36 (5) (1990) 241–245
Chin, A., On the depth complexity of the counting functions 35 (6) (1990) 325–328
Ching, Y.-T., K. Mehlhorn and **M.H.M. Smid,** Dynamic deferred data structuring 35 (1) (1990) 37–40
Chlebus, B.S., Parallel iterated bucket sort 31 (4) (1989) 181–183
Chlebus, B.S., *see* **Altman, T.** 33 (6) (1989/90) 297–300
Choe, K.-M., *see* **Kim, D.-H.** 40 (4) (1991) 201–211
Choe, K.-M., *see* **Lee, M.-J.** 37 (6) (1991) 337–347
Choe, K.-M., *see* **Lee, M.-J.** 38 (5) (1991) 281
Choi, H.K. and **M. Kim,** Hybrid join: An improved sort-based join algorithm 32 (2) (1989) 51–56
Chomicki, J. and **V.S. Subrahmanian,** Generalized closed world assumption is Π_2^0-complete 34 (6) (1990) 289–291
Chon, K., *see* **Hur, J.H.** 36 (5) (1990) 225–230
Chow, Y.-C., *see* **Luo, K.** 38 (6) (1991) 307–313
Chrobak, M. and **L.L. Larmore,** A note on the server problem and a benevolent adversary 38 (4) (1991) 173–175
Chu, P.-C., Evaluating clustering factor approach to estimating block selectivities 40 (6) (1991) 329–334
Chuang, H.Y.H., *see* **Kannan, C.S.** 33 (5) (1989/90) 243–248
Chung, K.-L., W.-C. Chen and **F.-C. Lin,** Fast computation of periodic continued fractions 33 (2) (1989/90) 67–72
Cimikowski, R.J., Finding Hamiltonian cycles in certain planar graphs 35 (5) (1990) 249–254
Clouâtre, A., N. Laliberté and **T.H. Merrett,** A general implementation of relational recursion with speedup techniques for programmers 32 (5) (1989) 257–262
Cook, S. and **T. Pitassi,** A feasibly constructive lower bound for resolution proofs 34 (2) (1990) 81–85
Cooper, J. and **L. Kitchen,** CASOP: A fast algorithm for

computing the n-ary composition of a binary associative operator 34 (4) (1990) 209–213
Corbett, J., *see* **Barrington, D.A.M.** 32 (5) (1989) 251–256
Corbett, P.F. and **I.D. Scherson,** A unified algorithm for sorting on multidimensional mesh-connected processors 37 (4) (1991) 225–231
Cosnard, M., J. Duprat and **A.G. Ferreira,** The complexity of searching in $X+Y$ and other multisets 34 (2) (1990) 103–109
Costagliola, G., *see* **Tucci, M.** 39 (5) (1991) 241–243
Cox, J., *see* **Chen, J.** 39 (1) (1991) 21–26
Crescenzi, P., C. Fiorini and **R. Silvestri,** A note on the approximation of the MAX CLIQUE problem 40 (1) (1991) 1–5
Crescenzi, P. and **R. Silvestri,** Relative complexity of evaluating the optimum cost and constructing the optimum for maximization problems 33 (5) (1989/90) 221–226
Crippa, D., A special case of the dynamization problem for least cost paths 39 (6) (1991) 297–302
Crochemore, M. and **W. Rytter,** Parallel construction of minimal suffix and factor automata 35 (3) (1990) 121–128
Crochemore, M. and **W. Rytter,** Efficient parallel algorithms to test square-freeness and factorize strings 38 (2) (1991) 57–60
Cull, P. and **J.L. Holloway,** Computing Fibonacci numbers quickly 32 (3) (1989) 143–149
Czaja. L., Finite processes in cause–effect structures and their composition 31 (6) (1989) 305–310
Czyzowicz, J., K.B. Lakshmanan and **A. Pelc,** Searching with a forbidden lie pattern in responses 37 (3) (1991) 127–132

Damaschke, P., The Hamiltonian circuit problem for circle graphs is NP-complete 32 (1) (1989) 1–2
Damaschke, P., H. Müller and **D. Kratsch,** Domination in convex and chordal bipartite graphs 36 (5) (1990) 231–236
Damm, C., Problems complete for $\oplus$L 36 (5) (1990) 247–250
Danhof, K.J., *see* **Zargham, M.R.** 34 (6) (1990) 299–305
Danvy, O., Semantics-directed compilation of nonlinear patterns 37 (6) (1991) 315–322
Danzig, P.B., A cooperative game with applications to computer networks 38 (6) (1991) 283–289
Das, P.K., *see* **Pramanik, P.** 38 (3) (1991) 157–161
Das, S.K., *see* **Chen, C.C.-Y.** 38 (1) (1991) 49–55
Dasgupta, B. and **C.E. Veni Madhavan,** An approximate algorithm for the minimal vertex nested polygon problem 33 (1) (1989/90) 35–44
Dearle, A., *see* **Morrison, R.** 34 (1) (1990) 51–55
Dederichs, F. and **R. Weber,** Safety and liveness from a methodological point of view 36 (1) (1990) 25–30
Dederichs, F. and **R. Weber,** Reply to the comments by M. Abadi et al. 40 (3) (1991) 143
De Fraysseix, H. and **H. Imai,** Notes on oriented depth-first search and longest paths 31 (1) (1989) 53–56
Demolombe, R. and **A. Illarramendi,** Heuristics for syntactical optimization of relational queries 32 (6) (1989) 313–316
Deng, X., An optimal parallel algorithm for linear programming in the plane 35 (4) (1990) 213–217
Deng, X. and **S. Mahajan,** Server problems and resistive spaces 37 (4) (1991) 193–196
De Roever, W.P., *see* **Huizing, C.** 37 (4) (1991) 205–213
De Sarkar, S.C., *see* **Chakrabarti, P.P.** 32 (5) (1989) 275
De Sarkar, S.C., *see* **Sarkar, U.K.** 37 (1) (1991) 43–48
Dey, P., B.R. Bryant and **T. Takaoka,** Lexical ambiguity in tree adjoining grammars 34 (2) (1990) 65–69
Dey, T., *see* **Bajaj, C.L.** 35 (1) (1990) 23–32
Dhall, S.K., *see* **Liang, Y.** 37 (4) (1991) 219–224
Díaz, J., *see* **Casas, R.,** 31 (5) (1989) 227–232
Di Battista, G., W.-P. Liu and **I. Rival,** Bipartite graphs, upward drawings, and planarity 36 (6) (1990) 317–322
Dickerson, M.T. and **R.S. Drysdale,** Fixed-radius near neighbors search algorithms for points and segments 35 (5) (1990) 269–273
Diekert, V. and **R.V. Book,** On "inherently context-sensitive" languages – An application of complexity cores 40 (1) (1991) 21–23
Dielissen, V.J. and **A. Kaldewaij,** Rectangular partition is polynomial in two dimensions but NP-complete in three 38 (1) (1991) 1–6
Dietzfelbinger, M., The speed of copying on one-tape off-line Turing machines 33 (2) (1989/90) 83–89
Dijkstra, E.W., Making a fair roulette from a possibly biased coin 36 (4) (1990) 193
Dillencourt, M.B., Realizability of Delaunay triangulations 33 (6) (1989/90) 283–287
Diwan, A.A., *see* **Subramaniyam, R.V.** 40 (2) (1991) 97–99
Dix, T.I., *see* **Allison, L.** 40 (6) (1991) 317–322
Domingo-Ferrer, J., Distributed user identification by zero-knowledge access rights proving 40 (5) (1991) 235–239
Drysdale III, R.L. and **J.W. Jaromczyk,** A note on lower bounds for the maximum area and maximum perimeter k-gon problems 32 (6) (1989) 301–303
Drysdale, R.S., *see* **Dickerson, M.T.** 35 (5) (1990) 269–273
Du, W., *see* **Elmagarmid, A.K.** 38 (1) (1991) 23–28
Dublish , P., Some comments on the subtree isomorphism problem for ordered trees (*Comment*) 36 (5) (1990) 273–275
Dunne, P.E., Comment on Kochol's paper "Efficient monotone circuits for threshold functions" 34 (5) (1990) 221–222
Duprat, J., *see* **Cosnard, M.** 34 (2) (1990) 103–109
Ďuriš, P. and **I. Vrťo,** Semelectivity is not sufficient 37 (3) (1991) 137–141

Eğecioğlu, Ö. and **B. Kalantari,** Approximating the diameter of a set of points in the Euclidean space 32 (4) (1989) 205–211
Eisinger, N., A note on the completeness of resolution with self-resolution 31 (6) (1989) 323–326
El Abbadi, A., *see* **Agrawal, D.** 33 (5) (1989/90) 255–260
Ellis, J.A., M. Mata and **G. MacGillivray,** A linear time algorithm for longest (s, t)-paths in weighted outerplanar graphs 32 (4) (1989) 199–204
Elmagarmid, A.K. and **W. Du,** Integrity aspects of quasi serializability 38 (1) (1991) 23–28

Erçal, F., Distributed evaluation of an iterative function for all object pairs on an SIMD hypercube 40 (6) (1991) 341–345

Everett, H. and **A. Gupta,** Acyclic directed hypercubes may have exponential diameter 32 (5) (1989) 243–245

Falkowski, B-J., A self-optimizing Prolog program and the underlying statistical model 31 (5) (1989) 273–276

Falkowski, B.-J., Perceptrons revisited 36 (4) (1990) 207–213

Fang, M.-Y., *see* **Horng, S.-J.** 38 (1) (1991) 29–37

Fantechi, A., S. Gnesi and **G. Ristori,** Compositionality and bisimulation: A negative result 39 (2) (1991) 109–114

Farach, M., *see* **Apostolico, A.** 39 (1) (1991) 17–20

Farley, A., *see* **Cheston, G.A.** 32 (5) (1989) 247–250

Fay, D.Q.M., *see* **Pramanik, P.** 38 (3) (1991) 157–161

Feinberg, E.B., Characterizing the shortest path of an object among obstacles 31 (5) (1989) 257–264

Feitelson, D.G. and **L. Rudolph,** Implementation of a wait-free synchronization primitive that solves n-process consensus 32 (2) (1989) 81–83

Fernández-Baca, D. and **M.A. Williams,** On matroids and hierarchical graphs 38 (3) (1991) 117–121

Ferreira, A.G., *see* **Cosnard, M.** 34 (2) (1990) 103–109

Fields, M.C. and **G.N. Frederickson,** A faster algorithm for the maximum weighted tardiness problem 36 (1) (1990) 39–44

Fiorini, C., *see* **Crescenzi, P.** 40 (1) (1991) 1–5

Floren, R., A note on "A faster approximation algorithm for the Steiner problem in graphs" 38 (4) (1991) 177–178

Foster, D.P. and **V. Vohra,** Probabilistic analysis of a heuristics for the dual bin packing problem 31 (6) (1989) 287–290

Fotouhi, F. and **S. Pramanik,** Problem of optimizing the number of block accesses in performing relational join is NP-hard 38 (5) (1991) 271–275

Fraigniaud, P. and **C. Peyrat,** Broadcasting in a hypercube when some calls fail 39 (3) (1991) 115–119

Francez, N., Cooperating proofs for distributed programs with multiparty interactions 32 (5) (1989) 235–242

Francez, N., Cooperating proofs for distributed programs with multiparty interactions (*Corrigenda*) 35 (5) (1990) 275

Francez, N., *see* **Abadi, M.** 40 (3) (1991) 141–142

Frederickson, G.N., *see* **Fields, M.C.** 36 (1) (1990) 39–44

Fülöp, Z. and **S. Vágvölgyi,** Top-down tree transducers with deterministic top-down look-ahead 33 (1) (1989/90) 3–5

Fülöp, Z. and **S. Vágvölgyi,** The emptiness problem is undecidable for domains of partial monadic 2-modular tree transformations 36 (6) (1990) 293–296

Fung, K.Y., T.M. Nicholl, R.E. Tarjan and **C.J. Van Wyk,** Simplified linear-time Jordan sorting and polygon clipping 35 (2) (1990) 85–92

Gabarró, J., *see* **Àlvarez, C.** 38 (2) (1991) 61–70

Galil, Z. and **G.F. Italiano,** A note on set union with arbitrary deunions 37 (6) (1991) 331–335

Galil, Z. and **K. Park,** A linear-time algorithm for concave one-dimensional dynamic programming 33 (6) (1989/90) 309–311

Ganapathi, M., *see* **Richardson, S.** 32 (3) (1989) 137–142

Garg, M.L., S.I. Ahson and **P.V. Gupta,** A Fuzzy Petri Net for knowledge representation and reasoning 39 (3) (1991) 165–171

Gasarch, W.I., On selecting the k largest with restricted quadratic queries 38 (4) (1991) 193–195

Gaston, F.M.F., *see* **Megson, G.M.** 36 (2) (1990) 103–109

Ghose, S., *see* **Chakrabarti, P.P.** 32 (5) (1989) 275

Ghose, S., *see* **Sarkar, U.K.** 37 (1) (1991) 43–48

Ghosh, S., Binary self-stabilization in distributed systems 40 (3) (1991) 153–159

Ghosh, S. and **A. Mahanti,** Bidirectional heuristic search with limited resources 40 (6) (1991) 335–340

Ghosh, S.K. and **A. Maheshwari,** An optimal algorithm for computing a minimum nested nonconvex polygon 36 (6) (1990) 277–280

Gibbons, A. and **R. Ziani,** The balanced binary tree technique on mesh-connected computers 37 (2) (1991) 101–109

Gibbons, A.M. and **Y.N. Srikant,** A class of problems efficiently solvable on mesh-connected computers including dynamic expression evaluation 32 (6) (1989) 305–311

Ginat, D., D.D. Sleator, and **R.E. Tarjan,** A tight amortized bound for path reversal 31 (1) (1989) 3–5

Gnesi, S., *see* **Fantechi, A.** 39 (2) (1991) 109–114

Goeman, H., Towards a theory of (self) applicative communicating processes: A short note 34 (3) (1990) 139–142

Goldberg, A.V., Processor-efficient implementation of a maximum flow algorithm 38 (4) (1991) 179–185

Goldberg, A.V. and **R.E. Tarjan,** A parallel algorithm for finding a blocking flow in an acyclic network 31 (5) (1989) 265–271

Goldman, S.A., A space efficient greedy triangulation algorithm 31 (4) (1989) 191–196

Goldreich, O., A note on computational indistinguishability 34 (6) (1990) 277–281

Goldreich, O. and **E. Petrank,** The best of both worlds: Guaranteeing termination in fast randomized Byzantine agreement protocols 36 (1) (1990) 45–49

Goldwurm, M., *see* **Bertoni, A.** 34 (3) (1990) 117–121

Gombás, É., *see* **Bartha, M.** 40 (6) (1991) 289–294

Gonnet, G.H. and **R.A. Baeza-Yates,** An analysis of the Karp–Rabin string matching algorithm 34 (5) (1990) 271–274

Gonzalez, T.F., Covering a set of points in multidimensional space 40 (4) (1991) 181–188

Goralčík, P., A. Goralčíková and **V. Koubek,** Alternation with a pebble 38 (1) (1991) 7–13

Goralčíková, A., *see* **Goralčík, P.** 38 (1) (1991) 7–13

Gore, V., *see* **Allender, E.** 40 (2) (1991) 89–95

Goscinski, A., A synchronization algorithm for processes with dynamic priorities in computer networks with node failures 32 (3) (1989) 129–136

Gottlob, G., *see* **Ceri, S.** 33 (2) (1989/90) 97–107

Gouda, M.G. and **T. Herman,** Stabilizing unison 35 (4) (1990) 171–175

Gouda, M.G., *see* **Chang, C.-K.** 37 (1) (1991) 1–7

Grädel, E., Simple interpretations among complicated theories 35 (5) (1990) 235–238
Green, F., An oracle separating $\oplus$P from PP^{PH} 37 (3) (1991) 149–153
Gregori, A., Unit-length embedding of binary trees on a square grid 31 (4) (1989) 167–173
Gries, D., *see* **Akl, S.G.** 33 (3) (1989/90) 135–139
Grigg, K., S. Miguet and **Y. Robert,** Symmetric matrix-vector product on a ring of processors 35 (5) (1990) 239–248
Grossi, R., A note on the subtree isomorphism for ordered trees and related problems 39 (2) (1991) 81–84
Grossi, R., Further comments on the subtree isomorphism for ordered trees 40 (5) (1991) 255–256
Grossi, R. and **F. Luccio,** Simple and efficient string matching with k mismatches 33 (3) (1989/90) 113–120
Guenther, G.R., Efficient expansion of factored expressions 35 (2) (1990) 69–72
Guha, S. and **A. Sen,** Expected time analysis of interpolation merge – A simple new merging algorithm 40 (5) (1991) 277–281
Gunther, N., Path integral methods for computer performance analysis 32 (1) (1989) 7–13
Gunther, N.J. and **J.G. Shaw,** Path integral evaluation of ALOHA network transients 33 (6) (1989/90) 289–295
Gupta, A., *see* **Everett, H.** 32 (5) (1989) 243–245
Gupta, P.V., *see* **Garg, M.L.** 39 (3) (1991) 165–171
Gurevich, Y., *see* **Blass, A.** 32 (1) (1989) 41–45
Gyssens, M., J. Paredaens and **D. Van Gucht,** On a hierarchy of classes for nested databases 36 (5) (1990) 259–266
Gyssens, M., *see* **Abiteboul, S.** 32 (6) (1989) 317–324

Hagerup, T., Hybridsort revisited and parallelized 32 (1) (1989) 35–39
Hagerup, T. and **C. Rüb,** Optimal merging and sorting on the EREW PRAM 33 (4) (1989/90) 181–185
Hagerup, T. and **C. Rüb,** A guided tour of Chernoff bounds 33 (6) (1989/90) 305–308
Hagerup, T. and **H. Shen,** Improved nonconservative sequential and parallel integer sorting 36 (2) (1990) 57–63
Hakimi, S.L., *see* **Bagchi, A.** 34 (4) (1990) 197–202
Haldar, C. and **L.M. Patnaik,** Oracle complexities for computational geometry of semi-algebraic sets and Voronoi diagrams 36 (2) (1990) 95–102
Halperin, D. and **M. Sharir,** On disjoint concave chains in arrangements of (pseudo) lines 40 (4) (1991) 189–192
Hambrusch, S. and **M. Luby,** Parallel asynchronous connected components in a mesh 38 (5) (1991) 257–263
Han, Y. and **Y. Igarashi,** Time lower bounds for sorting on multi-dimensional mesh-connected processor arrays 33 (5) (1989/90) 233–238
Handley, C.C., A space efficient distributive sort 37 (2) (1991) 75–78
Harn, L. and **T. Kiesler,** An efficient probabilistic encryption scheme 34 (3) (1990) 123–129
Harn, L., *see* **Laih, C.S.** 32 (3) (1989) 95–99
Hartley, R.I., Drawing polygons given angle sequences 31 (1) (1989) 31–33
Hawrylycz, M., *see* **Aggarwal, A.,** 31 (6) (1989) 311–314
He, X., An efficient parallel algorithm for finding minimum weight matching for points on a convex polygon 37 (2) (1991) 111–116
Head, T., Deciding the immutability of regular codes and languages under finite transductions 31 (5) (1989) 239–241
Heath, L.S., Covering a set with arithmetic progressions is NP-complete 34 (6) (1990) 293–298
Heckmann, R., Lower and upper power domain constructions commute on all cpos 40 (1) (1991) 7–11
Hedetniemi, S.T., *see* **Cheston, G.A.** 32 (5) (1989) 247–250
Heffernan, P.J., The translation square map and approximate congruence 39 (3) (1991) 153–159
Hellerstein, L., P. Klein and **R. Wilber,** On the time-space complexity of reachability queries for preprocessed graphs 35 (5) (1990) 261–267
Hemachandra, L.A., *see* **Beigel, R.** 37 (2) (1991) 91–94
Hemachandra, L.A., *see* **Cai, J.-y.** 38 (4) (1991) 215–219
Herley, K.T., A note on the Token Distribution Problem 38 (6) (1991) 329–334
Herman, T., Probabilistic self-stabilization 35 (2) (1990) 63–67
Herman, T., *see* **Gouda, M.G.** 35 (4) (1990) 171–175
Hershberger, J., Finding the upper envelope of n line segments in $O(n \log n)$ time 33 (4) (1989/90) 169–174
Hershberger, J., A new data structure for shortest path queries in a simple polygon 38 (5) (1991) 231–235
Hesselink, W.H., Repetitions, known or unknown? 40 (1) (1991) 51–57
Hesselink, W.H., *see* **Bron, C.** 39 (5) (1991) 269–276
Higgins, J., *see* **Campbell, D.** 37 (1) (1991) 49–53
Hingston, P. and **R. Wilkinson,** A distributed join algorithm 33 (6) (1989/90) 313–317
Hirata, T., *see* **Tan, X.-H.** 37 (4) (1991) 201–204
Ho, C.W. and **R.C.T. Lee,** Counting clique trees and computing perfect elimination schemes in parallel 31 (2) (1989) 61–68
Hoare, C.A.R., Fixed points of increasing functions 34 (3) (1990) 111–112
Hoare, C.A.R., *see* **Zhou, C.,** 40 (5) (1991) 269–276
Hochbaum, D.S. and **R. Shamir,** An $O(n \log^2 n)$ algorithm for the maximum weighted tardiness problem 31 (4) (1989) 215–219
Hofmeister, T., W. Hohberg and **S. Köhling,** Some notes on threshold circuits, and multiplication in depth 4 39 (4) (1991) 219–225
Hofri, M. and **H. Shachnai,** On the optimality of the counter scheme for dynamic linear lists 37 (3) (1991) 175–179
Hohberg, W., *see* **Hofmeister, T.** 39 (4) (1991) 219–225
Holloway, J.L., *see* **Cull, P.** 32 (3) (1989) 143–149
Hoogerwoord, R.R., A calculational derivation of the CASOP algorithm 36 (6) (1990) 297–299
Horng, S.-J., W.-T. Chen and **M.-Y. Fang,** Optimal speed-up algorithms for template matching on SIMD hypercube multiprocessors with restricted local memory 38 (1) (1991) 29–37

Howell, R.R., The complexity of problems involving structurally bounded and conservative Petri nets 39 (6) (1991) 309–315

Hsiao, J.Y., C.Y. Tang and **R.S. Chang,** Solving the single step graph searching problem by solving the maximum two-independent set problem 40 (5) (1991) 283–287

Hsu, L.-H., R.-H. Jan, Y.-C. Lee, C.-N. Hung and **M.-S. Chern,** Finding the most vital edge with respect to minimum spanning tree in weighted graphs 39 (5) (1991) 277–281

Hsu, W.-L. and **K.-H. Tsai,** Linear time algorithms on circular-arc graphs 40 (3) (1991) 123–129

Hsu, W.-L., *see* **Shih, W.-K.** 31 (3) (1989) 129–134

Huang, B.-C. and **M.A. Langston,** Stable set and multiset operations in optimal time and space 39 (3) (1991) 131–136

Huang, C.-H., *see* **Huang, N.-F.** 40 (1) (1991) 13–20

Huang, D.T., *see* **Olsson, R.A.** 39 (1) (1991) 27–33

Huang, N.-F. and **C.-H. Huang,** Complexity of the repeaters allocating problem 40 (1) (1991) 13–20

Huang, N.-F., *see* **Chang, M.S.** 35 (5) (1990) 255–260

Huang, S.-T., Termination detection by using distributed snapshots 32 (3) (1989) 113–119

Huang, S.-T., *see* **Chen, N.-S.** 39 (3) (1991) 147–151

Huguet, L, *see* **Basart, J.M.** 31 (2) (1989) 77–81

Huizing, C. and **W.P. De Roever,** Introduction to design choices in the semantics of Statecharts 37 (4) (1991) 205–213

Hung, C.-N., *see* **Hsu, L.-H.** 39 (5) (1991) 277–281

Hur, J.H. and **K. Chon,** Self and selftype 36 (5) (1990) 225–230

Huynh, D.T., The effective entropies of some extensions of context-free languages 37 (3) (1991) 165–169

Ibaraki, T., *see* **H. Nagamochi** 31 (6) (1989) 279–285

Igarashi, Y., *see* **Han, Y.** 33 (5) (1989/90) 233–238

Iliopoulos, C.S., *see* **Apostolico, A.** 39 (1) (1991) 17–20

Illarramendi, A., *see* **Demolombe, R.** 32 (6) (1989) 313–316

Imai, H., *see* **De Fraysseix, H.** 31 (1) (1989) 53–56

Inagaki, Y., *see* **Tan, X.-H.** 37 (4) (1991) 201–204

Inverardi, P. and **M. Nesi,** A rewriting strategy to verify observational congruence 35 (4) (1990) 191–199

Irani, S., Two results on the list update problem 38 (6) (1991) 301–306

Irani, S. and **R. Rubinfeld,** A competitive 2-server algorithm 39 (2) (1991) 85–91

Irving, R.W., On approximating the minimum independent dominating set 37 (4) (1991) 197–200

Italiano, G.F., *see* **Galil, Z.** 37 (6) (1991) 331–335

Itoh, T., Characterization for a family of infinitely many irreducible equally spaced polynomials 37 (5) (1991) 273–277

Iwano, K., An improvement of Goldberg, Plotkin and Vaidya's maximal node-disjoint paths algorithm 32 (1) (1989) 25–27

Iyengar, S.S., *see* **Rajanarayanan, S.** 38 (3) (1991) 143–148

Iyengar, S.S., *see* **Sharma, M.B.** 32 (4) (1989) 183–186

Iyengar, S.S., *see* **Kumar, D.** 35 (1) (1990) 55–56

Jacob, J., Separability and the detection of hidden channels 34 (1) (1990) 27–29

Jacob, J., A model of reconfiguration in communicating sequential processes 35 (1) (1990) 19–22

Jacobs, D.P., Probabilistic checking of associativity in algebras 37 (4) (1991) 187–191

Jan, R.-H., *see* **Hsu, L.-H.** 39 (5) (1991) 277–281

Janardan, R., On the dynamic maintenance of maximal points in the plane 40 (2) (1991) 59–64

Janardan, R., *see* **Cheng, S.W.** 36 (5) (1990) 251–258

Janiak, A., Minimization of resource consumption under a given deadline in the two-processor flow-shop scheduling problem 32 (3) (1989) 101–112

Janssen, A.J.E.M., An optimization problem related to neural networks 37 (3) (1991) 155–157

Jaromczyk, J.W., *see* **Drysdale III, R.L.** 32 (6) (1989) 301–303

Jędrzejowicz, J., Infinite hierarchy of shuffle expressions over a finite alphabet 36 (1) (1990) 13–17

Jeffs, J., Order independent NCE grammars recognized in polynomial time 39 (3) (1991) 161–164

Jenkyns, T.A., *see* **Bradford, J.H.** 38 (4) (1991) 169–171

Jiang, B., Traversing graphs in a paging environment, BFS or DFS? 37 (3) (1991) 143–147

Jiang, B., DFS-traversing graphs in a paging environment, LRU or MRU? 40 (4) (1991) 193–196

Jiang, T. and **B. Ravikumar,** A note on the space complexity of some decision problems for finite automata 40 (1) (1991) 25–31

Kaji, I., *see* **Kurihara, M.** 34 (1) (1990) 1–4

Kalamboukis, T.Z. and **S.L. Mantzaris,** Towards optimal distributed election on chordal rings 38 (5) (1991) 265–270

Kalantari, B., *see* **Eğecioğlu, Ö.** 32 (4) (1989) 205–211

Kaldewaij, A. and **B. Schoenmakers,** The derivation of a tighter bound for top-down skew heaps 37 (5) (1991) 265–271

Kaldewaij, A., *see* **Dielissen, V.J.** 38 (1) (1991) 1–6

Kalé, L.V., An almost perfect heuristic for the N nonattacking queens problem 34 (4) (1990) 173–178

Kamada, T. and **S. Kawai,** An algorithm for drawing general undirected graphs 31 (1) (1989) 7–15

Kamada, T., *see* **Matsuoka, S.** 31 (3) (1989) 119–126

Kämper, J., A result relating disjunctive self-reducibility to P-immunity 33 (5) (1989/90) 239–242

Kanchanasut, K., *see* **Malhotra, M.V.** 31 (4) (1989) 185–189

Kann, V., Maximum bounded 3-dimensional matching is MAX SNP-complete 37 (1) (1991) 27–35

Kannan, C.S. and **H.Y.H. Chuang,** Fast hough transform on a mesh connected processor array 33 (5) (1989/90) 243–248

Kao, M.-Y. and **S.R. Tate,** Online matching with blocked input 38 (3) (1991) 113–116

Karner, G., A note on terminal balancing of algebraic systems 35 (6) (1990) 291–293
Katz, S., *see* **Abadi, M.** 40 (3) (1991) 141–142
Kavadias, D., L.M. Kirousis and **P. Spirakis,** The complexity of the Reliable Connectivity Problem 39 (5) (1991) 245–252
Kawai, S., *see* **Kamada, T.** 31 (1) (1989) 7–15
Kawai, S., *see* **Matsuoka, S.** 31 (3) (1989) 119–126
Keil, M., A simple algorithm for determining the envelope of a set of lines 39 (3) (1991) 121–124
Kemp, R., A one-to-one correspondence between two classes of ordered trees 32 (5) (1989) 229–234
Kennedy, R., Parallel cardinality stacks and an application 38 (6) (1991) 295–299
Khuller, S., On computing graph closures 31 (5) (1989) 249–255
Khuller, S., Coloring algorithms for K_5-minor free graphs 34 (4) (1990) 203–208
Khuller, S. and **J.S.B. Mitchell,** On a triangle counting problem 33 (6) (1989/90) 319–321
Kiesler, T., *see* **Harn, L.** 34 (3) (1990) 123–129
Kim, D.-H. and **K.-M. Choe,** Yet another efficient backward execution algorithm in the AND/OR Process Model 40 (4) (1991) 201–211
Kim, G.C., *see* **Kim, Y.J.** 32 (2) (1989) 73–80
Kim, H., Finding a maximum independent set in a permutation graph 36 (1) (1990) 19–23
Kim, H.J. and **J.G. Lee,** Partial sum problem mapping into a hypercube 36 (5) (1990) 221–224
Kim, M., *see* **Choi, H.K.** 32 (2) (1989) 51–56
Kim, M., *see* **Lee, J.M.** 36 (2) (1990) 85–90
Kim, M., *see* **Park, M.H.** 34 (3) (1990) 131–138
Kim, M.H. and **S. Pramanik,** The FX distribution method for parallel processing of partial match queries 38 (5) (1991) 243–252
Kim, S.K., A parallel algorithm for finding a maximum clique of a set of circular arcs of a circle 34 (5) (1990) 235–241
Kim, S.K., Parallel algorithms for the segment dragging problem 36 (6) (1990) 323–327
Kim, Y.J. and **G.C. Kim,** Coordinator: A modification to the monitor concept 32 (2) (1989) 73–80
Kirousis, L.M., *see* **Kavadias, D.** 39 (5) (1991) 245–252
Kitchen, L., *see* **Cooper, J.** 34 (4) (1990) 209–213
Klein, P. and **C. Stein,** A parallel algorithm for eliminating cycles in undirected graphs 34 (6) (1990) 307–312
Klein, P., *see* **Hellerstein, L.** 35 (5) (1990) 261–267
Kleine Büning, H., Existence of simple propositional formulas 36 (4) (1990) 177–182
Klostermeyer, W., *see* **Luo, K.** 38 (6) (1991) 307–313
Knapp, E., A predicate transformer for progress 33 (6) (1989/90) 323–330
Kochol, M., Efficient monotone circuits for threshold functions 32 (3) (1989) 121–122
Kocsis, F. and **J.F. Böhme,** Rotation-based computations for ray-tracing second-order surfaces and curves 36 (6) (1990) 281–283
Köhling, S., *see* **Hofmeister, T.** 39 (4) (1991) 219–225
Kollias, J.G., Y. Manolopoulos and **C.H. Papadimitriou,** The optimum execution order of queries in linear storage 36 (3) (1990) 141–145
Kotov, V., Andrei P. Ershov (1931–1988) 31 (1) (1989) 1–2
Koubek, V., *see* **Goralčík, P.** 38 (1) (1991) 7–13
Kratsch, D., *see* **Damaschke, P.** 36 (5) (1990) 231–236
Kravets, D., *see* **Aggarwal, A.** 31 (1) (1989) 17–20
Krithivasan, K., *see* **Srikant, R.** 37 (6) (1991) 349–353
Kumar, A. and **S.Y. Cheung,** A high availability $\sqrt{N}$ hierarchical grid algorithm for replicated data 40 (6) (1991) 311–316
Kumar, D., S.S. Iyengar and **M.B. Sharma,** Corrections to a distributed depth-first search algorithm (*Corrigenda*) 35 (1) (1990) 55–56
Kumar, V., Concurrency control on extendible hashing 31 (1) (1989) 35–41
Kuo, R.T. and **S.S. Tseng,** The necessary and sufficient condition for the worst-case male optimal stable matching 34 (5) (1990) 261–263
Kurihara, M. and **I. Kaji,** Modular term rewriting systems and the termination 34 (1) (1990) 1–4
Kutyłowski, M., Remarks on sorting and one-way multihead finite automata 36 (4) (1990) 215–218
Kwiatkowska, M.Z., A metric for traces 35 (3) (1990) 129–135

Ladner, R.E., *see* **Chaudhuri, S.** 37 (1) (1991) 13–20
Laih, C.S., J.Y. Lee and **L. Harn,** A new threshold scheme and its application in designing the conference key distribution cryptosystem 32 (3) (1989) 95–99
Lakshmanan, K.B., *see* **Czyzowicz, J.** 37 (3) (1991) 127–132
Lakshmivarahan, S., *see* **Liang, Y.** 37 (4) (1991) 219–224
Laliberté, N., *see* **Clouâtre, A.** 32 (5) (1989) 257–262
Lambrichts, E., P. Nees, J. Paredaens, P. Peelman and **L. Tanca,** Checking functional consistency in deductive databases 35 (3) (1990) 115–120
Lamma, E., *see* **Brogi, A.** 36 (6) (1990) 285–291
Lamport, L., *see* **Abadi, M.** 40 (3) (1991) 141–142
Langemyr, L., Circuits for computing the GCD of two polynomials over an algebraic number field 38 (3) (1991) 129–134
Langston, M.A., *see* **Huang, B.-C.** 39 (3) (1991) 131–136
Larmore, L.L., An optimal algorithm with unknown time complexity for convex matrix searching 36 (3) (1990) 147–151
Larmore, L.L., *see* **Chrobak, M.** 38 (4) (1991) 173–175
Latifi, S., Distributed subcube identification algorithms for reliable hypercubes 38 (6) (1991) 315–321
Laumond, J.-P., Connectivity of plane triangulations 34 (2) (1990) 87–96
Launchbury, J., Strictness analysis aids inductive proofs 35 (3) (1990) 155–159
Lawrence, J., *see* **Burris, S.** 36 (1) (1990) 37–38
Lee, D.-L., On access and alignment of data in a parallel processor 33 (1) (1989/90) 11–14
Lee, D.-L., Efficient address generation in a parallel processor 36 (3) (1990) 111–116

Lee, D.T. and **F.P. Preparata,** Parallel batched planar point location on the CCC 33 (4) (1989/90) 175–179
Lee, J.G., *see* **Kim, H.J.** 36 (5) (1990) 221–224
Lee, J.M., J.S. Park and **M. Kim,** An upper bound on buffer size for join operation using nonclustered indexes 36 (2) (1990) 85–90
Lee, J.Y., *see* **Laih, C.S.** 32 (3) (1989) 95–99
Lee, M.-J. and **K.-M. Choe,** SLR(k) covering for LR(k) grammars 37 (6) (1991) 337–347
Lee, M.-J. and **K.-M. Choe,** SLR(k) covering for LR(k) grammars (*Corrigenda*) 38 (5) (1991) 281
Lee, R.C.T., *see* **Ho, C.W.** 31 (2) (1989) 61–68
Lee, R.C.T., *see* **Yen, C.-C.** 35 (6) (1990) 295–299
Lee, Y.-C., *see* **Hsu, L.-H.** 39 (5) (1991) 277–281
Lee, Y.J., *see* **Yang, J.D.** 39 (5) (1991) 283–289
Leighton, T., *see* **Aggarwal, A.** 35 (6) (1990) 301–304
Leiss, E.L. and **H.N. Reddy,** Embedding complete binary trees into hypercubes 38 (4) (1991) 197–199
Lentfert, P. and **M.H. Overmars,** Data structures in a real-time environment 31 (3) (1989) 151–155
Leung, J.Y.-T., Bin packing with restricted piece sizes 31 (3) (1989) 145–149
Leung, J.Y.-T. and **G.H. Young,** Preemptive scheduling to minimize mean weighted flow time 34 (1) (1990) 47–50
Levcopoulos, C. and **O. Petersson,** A note on adaptive parallel sorting 33 (4) (1989/90) 187–191
Levcopoulos, C. and **O. Petersson,** Splitsort—An adaptive sorting algorithm 39 (4) (1991) 205–211
Li, S.-Y.R., On full utilization of multi-channel capacity with priority protocol 36 (3) (1990) 129–133
Liang, Y., C. Rhee, S.K. Dhall and **S. Lakshmivarahan,** A new approach for the domination problem on permutation graphs 37 (4) (1991) 219–224
Ligozat, G. and **H. Bestougeff,** On relations between intervals 32 (4) (1989) 177–182
Lin, C.-J., Parallel algorithm for generating permutations on linear array 35 (4) (1990) 167–170
Lin, F.-C., *see* **Chung, K.-L.** 33 (2) (1989/90) 67–72
Lin, F.-C., *see* **Wang, B.-F.** 34 (4) (1990) 187–192
Lin, R. and **S. Olariu,** A fast parallel algorithm to recognize partitionable graphs 36 (3) (1990) 153–157
Lin, R., Fast algorithms for lowest common ancestors on a processor array with reconfigurable buses 40 (4) (1991) 223–230
Lin, X., *see* **Yu, B.** 37 (1) (1991) 55–59
Lingas, A., Voronoi diagrams with barriers and the shortest diagonal problem 32 (4) (1989) 191–198
Lingas, A., Bit complexity of matrix products 38 (5) (1991) 237–242
Lins, R.D., *see* **Martínez, A.D.** 34 (1) (1990) 31–35
Lipton, R.J. and **A. Park,** The Processor Identity Problem 36 (2) (1990) 91–94
Litovsky, I., Prefix-free languages as ω-generators 37 (2) (1991) 61–65
Liu, P., *see* **Chern, M.-S.** 32 (2) (1989) 61–71
Liu, W.-P., *see* **Di Battista, G.** 36 (6) (1990) 317–322
Liu, Z., A note on Graham's bound 36 (1) (1990) 1–5
Lloyd, E.L., A fast algorithm for finding interlocking sets 32 (1) (1989) 47–50
Lloyd, E.L., *see* **Blair, J.R.S.** 40 (1) (1991) 43–49
Lodi, E., F. Luccio and **L. Pagli,** Routing in times square mode 35 (1) (1990) 41–48
Logothetis, G., *see* **Altman, T.** 35 (3) (1990) 111–114
Logothetis, G., *see* **Bermudez, M.E.,** 31 (5) (1989) 233–238
Lopriore, L., Software-controlled cache coherence protocol for multicache systems 33 (3) (1989/90) 125–130
Loui, M.C. and **M.A. Sohoni,** An algorithm for load balancing in multiprocessor systems 35 (5) (1990) 223–228
Lu, C.-S., *see* **Chen, W.-H.** 36 (1) (1990) 7–11
Lubiw, A., Counterexample to a conjecture of Szymanski on hypercube routing 35 (2) (1990) 57–61
Luby, M., *see* **Hambrusch, S.** 38 (5) (1991) 257–263
Luccio, F. and **L. Pagli,** An efficient algorithm for some tree matching problems 39 (1) (1991) 51–57
Luccio, F., and **L. Pagli,** On the upper bound on the rotation distance of binary trees. 31 (2) (1989) 57–60
Luccio, F., A. Pietracaprina and **G. Pucci,** Analysis of parallel uniform hashing 37 (2) (1991) 67–69
Luccio, F., *see* **Grossi, R.** 33 (3) (1989/90) 113–120
Luccio, F., *see* **Lodi, E.** 35 (1) (1990) 41–48
Luo, K., W. Klostermeyer, Y.-C. Chow and **R. Newman-Wolfe,** Optimal deadlock resolutions in edge-disjoint reducible wait-for graphs 38 (6) (1991) 307–313
Lutz, E., Some proofs of data refinement 34 (4) (1990) 179–185

MacGillivray, G., *see* **Brewster, R.** 40 (3) (1991) 149–151
MacGillivray, G., *see* **Ellis, J.A.** 32 (4) (1989) 199–204
Maes, M., On a cyclic string-to-string correction problem 35 (2) (1990) 73–78
Mahajan, S., *see* **Deng, X.** 37 (4) (1991) 193–196
Mahanti, A., *see* **Ghosh, S.** 40 (6) (1991) 335–340
Mahapatra, R.N. and **H. Pareek,** Modelling a fast parallel thinning algorithm for shared memory SIMD computers 40 (5) (1991) 257–261
Maheshwari, A., *see* **Ghosh, S.K.** 36 (6) (1990) 277–280
Maheshwari, S.N., *see* **Cheriyan, J.** 31 (3) (1989) 157–161
Mahmoud, S.A., Motion estimation based on modified Fourier spectrum 37 (6) (1991) 311–313
Majster-Cederbaum, M.E., The contraction property is sufficient to guarantee the uniqueness of fixed points of endofunctors in a category of complete metric spaces 33 (1) (1989/90) 15–19
Makarov, O.M., On the synthesis of fast algorithms for signal processing 36 (5) (1990) 267–272
Mäkinen, E., On the subtree isomorphism problem for ordered trees 32 (5) (1989) 271–273
Mäkinen, E., The grammatical inference problem for the Szilard languages of linear grammars 36 (4) (1990) 203–206
Malhotra, V.M., T.V. To and **K. Kanchanasut,** An improved data-dependency-based backtracking scheme for Prolog 31 (4) (1989) 185–189
Manacher, G.K., T.A. Mankus and **C.J. Smith,** An optimum

$\Theta(n \log n)$ algorithm for finding a canonical Hamiltonian path and a canonical Hamiltonian circuit in a set of intervals 35 (4) (1990) 205–211

Manber, U., Recognizing breadth-first search trees in linear time 34 (4) (1990) 167–171

Manber, U. and **R. Baeza-Yates,** An algorithm for string matching with a sequence of don't cares 37 (3) (1991) 133–136

Manber, U., *see* **Wu, S.** 35 (6) (1990) 317–323

Mandyam, N.K., *see* **Sharma, M.B.** 32 (4) (1989) 183–186

Mankus, T.A., *see* **Manacher, G.K.** 35 (4) (1990) 205–211

Manolopoulos, Y. and **A. Vakali,** Seek distances in disks with two independent heads per surface 37 (1) (1991) 37–42

Manolopoulos, Y., *see* **Kollias, J.G.** 36 (3) (1990) 141–145

Mantzaris, S.L., *see* **Kalamboukis, T.Z.** 38 (5) (1991) 265–270

Manzini, G., Radix sort on the hypercube 38 (2) (1991) 77–81

Martel, C., Self-adjusting multi-way search trees 38 (3) (1991) 135–141

Martin, U., A note on division orderings on strings 36 (5) (1990) 237–240

Martínez, A.D., R. Wachenchauzer and **R.D. Lins,** Cyclic reference counting with local mark-scan 34 (1) (1990) 31–35

Massart, T., An agent calculus with simple actions where the enabling and disabling are derived operators 40 (4) (1991) 213–218

Massazza, P., *see* **Bertoni, A.** 34 (3) (1990) 117–121

Mata, M., *see* **Ellis, J.A.** 32 (4) (1989) 199–204

Mathew, L., *see* **Siromoney, R.** 35 (1) (1990) 33–36

Matoušek, J., On-line computation of convolutions 32 (1) (1989) 15–16

Matoušek, J., Computing dominances in E^n (*Short communication*) 38 (5) (1991) 277–278

Matoušek, J., Randomized optimal algorithm for slope selection 39 (4) (1991) 183–187

Matsliach, G., Performance analysis of file organizations that use multi-bucket data leaves 36 (6) (1990) 301–310

Matsliach, G. and **O. Shmueli,** Distributing a B^+-tree in a loosely coupled environment 34 (6) (1990) 313–321

Matsuoka, S., T. Kamada and **S. Kawai,** Asymptotic evaluation of window visibility 31 (3) (1989) 119–126

Mattern, F., An efficient distributed termination test 31 (4) (1989) 203–208

Mattern, F., *see* **Tel, G.** 31 (3) (1989) 127–128

McCurley, E.R., Auxiliary variables in partial correctness programming logics 33 (3) (1989/90) 131–133

Megson, G.M. and **F.M.F. Gaston,** Improved matrix triangularisation using a double pipeline systolic array 36 (2) (1990) 103–109

Mehlhorn, K., S. Näher and **C. Uhrig,** Hidden line elimination for isooriented rectangles 35 (3) (1990) 137–143

Mehlhorn, K. and **S. Näher,** Bounded ordered dictionaries in O(log log N) time and O(n) space 35 (4) (1990) 183–189

Mehlhorn, K., *see* **Alt, H.** 37 (4) (1991) 237–240

Mehlhorn, K., *see* **Ching, Y.-T.** 35 (1) (1990) 37–40

Mehta, S., M. Mukherjee and **G. Nagy,** Constrained integer approximation to planar line intersection 40 (3) (1991) 137–139

Meidânis, J., Lower bounds for arithmetic problems 38 (2) (1991) 83–87

Meijer, H., *see* **Qiu, K.** 36 (1) (1990) 51–52

Meijer, H., *see* **Qiu, K.** 39 (3) (1991) 125–129

Meinel, C., Logic vs. complexity theoretic properties of the graph accessibility problem for directed graphs of bounded degree 34 (3) (1990) 143–146

Mello, P., *see* **Brogi, A.** 36 (6) (1990) 285–291

Merrett, T.H., *see* **Clouâtre, A.** 32 (5) (1989) 257–262

Messeguer, X., Dynamic behaviour in updating process over BST of size two with probabilistic deletion algorithms 38 (2) (1991) 89–100

Miguet, S., *see* **Grigg, K.** 35 (5) (1990) 239–248

Miller, G.L., *see* **Anderson, R.J.** 33 (5) (1989/90) 269–273

Miller, R., *see* **Boxer, L.** 32 (2) (1989) 57–60

Miller, R., *see* **Boxer, L.** 33 (5) (1989/90) 249–254

Miller, R., *see* **Boxer, L.** 35 (1) (1990) 53

Miller, W., *see* **Wu, S.** 35 (6) (1990) 317–323

Minsker, S., The Towers of Antwerpen problem 38 (2) (1991) 107–111

Mishra, B., *see* **Chen, J.** 39 (1) (1991) 21–26

Misra, J., A simple proof of a simple consensus algorithm 33 (1) (1989/90) 21–24

Misra, J., Phase synchronization 38 (2) (1991) 101–105

Mitchell, J.S.B., *see* **Khuller, S.** 33 (6) (1989/90) 319–321

Mitchem, J., *see* **Bagchi, A.** 34 (4) (1990) 197–202

Mňuk, M., A div(n) depth Boolean circuit for smooth modular inverse 38 (3) (1991) 153–156

Molter, U., *see* **Brandt, J.** 40 (2) (1991) 113–117

Moretti, S., *see* **Bertossi, A.A.** 33 (6) (1989/90) 275–281

Morris, J.M., Well-founded induction and the invariance theorem for loops 32 (3) (1989) 155–158

Morris, R.J.T. and **W.S. Wong,** Systematic choice of initial points in local search: Extensions and application to Neural Networks 39 (4) (1991) 213–217

Morrison, R., M.P. Atkinson, A.L. Brown and **A. Dearle,** On the classification of binding mechanisms 34 (1) (1990) 51–55

Mostowski, A.W., Alternating automata with start formulas 35 (6) (1990) 287–290

Motoki, T., Inductive inference from all positive and some negative data 39 (4) (1991) 177–182

Mukherjee, R.N., *see* **Boreddy, J.** 33 (4) (1989/90) 205–206

Mukherjee, M., *see* **Mehta, S.** 40 (3) (1991) 137–139

Mukkamala, R., Some properties of view-based replication control algorithms for distributed systems 31 (6) (1989) 295–298

Müller, H., *see* **Damaschke, P.** 36 (5) (1990) 231–236

Mullin, J.K., A caution on universal classes of hash functions 37 (5) (1991) 247–256

Murphy, O., A unifying framework for trie design heuristics 34 (5) (1990) 243–249

Murphy, O.J. and **S.M. Selkow,** Finding nearest neighbors with Voronoi tessellations 34 (1) (1990) 37–41

Myers, G., *see* **Wu, S.** 35 (6) (1990) 317–323
Myoupo, J.F., Dynamic programming on linear pipelines 39 (6) (1991) 333–341

Nagamochi, H. and **T. Ibaraki**, On max-flow min-cut and integral flow properties for multicommodity flow in directed networks 31 (6) (1989) 279–285
Nagy, G., *see* **Mehta, S.** 40 (3) (1991) 137–139
Näher, S., *see* **Mehlhorn, K.** 35 (3) (1990) 137–143
Näher, S., *see* **Mehlhorn, K.** 35 (4) (1990) 183–189
Narasimhan, G., A note on the Hamiltonian circuit problem on directed path graphs 32 (4) (1989) 167–170
Näslund, T., *see* **Bonnier, S.** 40 (2) (1991) 73–78
Nawrocki, J.R., Conflict detection and resolution in a lexical analyzer generator 38 (6) (1991) 323–328
Neaderhouser Purdy, C. and **G.B. Purdy**, The area-time complexity of the greatest common divisor problem: a lower bound 34 (1) (1990) 43–46
Nees, P., *see* **Lambrichts, E.** 35 (3) (1990) 115–120
Nesi, M., *see* **Inverardi, P.** 35 (4) (1990) 191–199
Newman, I., Private vs. common random bits in communication complexity 39 (2) (1991) 67–71
Newman-Wolfe, R., *see* **Luo, K.** 38 (6) (1991) 307–313
Nicholl, T.M., *see* **Fung, K.Y.** 35 (2) (1990) 85–92
Nieuwenhuis, R. and **P. Nivela**, Efficient deduction in equality Horn logic by Horn-completion 39 (1) (1991) 1–6
Nilsson, U., *see* **Bonnier, S.** 40 (2) (1991) 73–78
Nishizeki, T., *see* **Suzuki, H.** 33 (5) (1989/90) 227–231
Nivela, P., *see* **Nieuwenhuis, R.** 39 (1) (1991) 1–6
Ntafos, S., The robber route problem 34 (2) (1990) 59–63

Olariu, S., A simple linear-time algorithm for computing the RNG and MST of unimodal polygons 31 (5) (1989) 243–247
Olariu, S., A generalization of Chvátal's Star-Cutset Lemma 33 (6) (1989/90) 301–303
Olariu, S., On the closure of triangle-free graphs under substitution 34 (2) (1990) 97–101
Olariu, S., An optimal greedy heuristic to color interval graphs 37 (1) (1991) 21–25
Olariu, S. and **J. Randall**, Welsh–Powell opposition graphs 31 (1) (1989) 43–46
Olariu, S., *see* **Lin, R.** 36 (3) (1990) 153–157
Olsson, R.A. and **D.T. Huang**, Axiomatic semantics for "escape" statements 39 (1) (1991) 27–33
Omondi, A., Fast one's-complement multiplication 39 (2) (1991) 73–79
Overmars, M.H., *see* **Lentfert, P.** 31 (3) (1989) 151–155
Özgüner, F., *see* **Bataineh, A.** 39 (2) (1991) 99–108

Padberg, M. and **A. Sassano**, The complexity of matching with bonds 32 (6) (1989) 297–300
Pagli, L., *see* **Lodi, E.** 35 (1) (1990) 41–48
Pagli, L., *see* **Luccio, F.** 31 (2) (1989) 57–60
Pagli, L., *see* **Luccio, F.** 39 (1) (1991) 51–57
Pallo, J.M., A distance metric on binary trees using lattice-theoretic measures 34 (3) (1990) 113–116
Pan, V. and **J. Reif**, The parallel computation of minimum cost paths in graphs by stream contraction 40 (2) (1991) 79–83
Pandey, A., *see* **Chakrabarti, P.P.** 32 (5) (1989) 275
Pandu Rangan, C., *see* **Ramalingam, G.** 34 (4) (1990) 215–219
Pandu Rangan, C., *see* **Rao Arikati, S.** 35 (3) (1990) 149–153
Pandu Rangan, C., *see* **Srinivasa Rao, A.** 33 (1) (1989/90) 29–33
Pandu Rangan, C., *see* **Srinivasa Rao, A.** 33 (3) (1989/90) 147–156
Papadimitriou, C.H., *see* **Kollias, J.G.** 36 (3) (1990) 141–145
Parberry, I., *see* **Parker, B.** 33 (3) (1989/90) 157–162
Paredaens, J., *see* **Gyssens, M.** 36 (5) (1990) 259–266
Paredaens, J., *see* **Lambrichts, E.** 35 (3) (1990) 115–120
Pareek, H., *see* **Mahapatra, R.N.** 40 (5) (1991) 257–261
Parekh, A.K., Analysis of a greedy heuristic for finding small dominating sets in graphs 39 (5) (1991) 237–240
Park, A., *see* **Lipton, R.J.** 36 (2) (1990) 91–94
Park, J.K., A special case of the n-vertex traveling-salesman problem that can be solved in $O(n)$ time 40 (5) (1991) 247–254
Park, J.S., *see* **Lee, J.M.** 36 (2) (1990) 85–90
Park, K., *see* **Galil, Z.** 33 (6) (1989/90) 309–311
Park, M.H. and **M. Kim**, A distributed synchronization scheme for fair multi-process handshakes 34 (3) (1990) 131–138
Parker, B. and **I. Parberry**, Constructing sorting networks from k-sorters 33 (3) (1989/90) 157–162
Patnaik, L.M., *see* **Haldar, C.** 36 (2) (1990) 95–102
Paul, M., *see* **Alt, H.** 37 (4) (1991) 237–240
Paulik, A., Worst-case analysis of a generalized heapsort algorithm 36 (3) (1990) 159–165
Peelman, P., *see* **Lambrichts, E.** 35 (3) (1990) 115–120
Pelc, A., Broadcasting in complete networks with faulty nodes using unreliable calls 40 (3) (1991) 169–174
Pelc, A., *see* **Czyzowicz, J.** 37 (3) (1991) 127–132
Petersson, O., *see* **Levcopoulos, C.** 33 (4) (1989/90) 187–191
Petersson, O., *see* **Levcopoulos, C.** 39 (4) (1991) 205–211
Petrank, E., *see* **Goldreich, O.** 36 (1) (1990) 45–49
Pettersson, J.S., Comments on "Always-true is not invariant": Assertional reasoning about invariance (*Letter to the Editor*) 40 (5) (1991) 231–233
Peyrat, C., *see* **Fraigniaud, P.** 39 (3) (1991) 115–119
Pietracaprina, A., *see* **Luccio, F.** 37 (2) (1991) 67–69
Pinotti, M.C. and **G. Pucci**, Parallel Priority Queues 40 (1) (1991) 33–40
Piotrowski, J.A., A functional model of a simplified sequential machine 35 (3) (1990) 161–166
Pitassi, T., *see* **Cook, S.** 34 (2) (1990) 81–85
Plassmann, P., *see* **Bern, M.** 32 (4) (1989) 171–176
Plehn, J., Preemptive scheduling of independent jobs with release times and deadlines on a hypercube 34 (3) (1990) 161–166
Pombortsis, A., Sharing special purpose resources in a multiprocessor environment 34 (5) (1990) 255–260
Pramanik, P., P.K. Das, A.K. Bandyopadhyay and **D.Q.M. Fay**, A deadlock-free communication kernel for loop architecture 38 (3) (1991) 157–161

Pramanik, S., *see* **Fotouhi, F.** 38 (5) (1991) 271–275
Pramanik, S., *see* **Kim, M.H.** 38 (5) (1991) 243–252
Preparata, F.P., Inverting a Vandermonde matrix in minimum parallel time 38 (6) (1990) 291–294
Preparata, F.P., *see* **Lee, D.T.** 33 (4) (1989/90) 175–179
Proskurowski, A., *see* **Cheston, G.A.** 32 (5) (1989) 247–250
Provence, J.D., *see* **Sreenivasa Rao, D.** 39 (5) (1991) 257–263
Pucci, G., *see* **Luccio, F.** 37 (2) (1991) 67–69
Pucci, G., *see* **Pinotti, M.C.** 40 (1) (1991) 33–40
Pugh, W., Slow optimally balanced search strategies vs. cached fast uniformly balanced search strategies 34 (5) (1990) 251–254
Purdy, G.B., *see* **Neaderhouser Purdy, C.** 34 (1) (1990) 43–46

Qian, X., An axiom system for database transactions 36 (4) (1990) 183–189
Qiu, K. and **H. Meijer,** A note on diameter of acyclic directed hypercubes 36 (1) (1990) 51–52
Qiu, K., H. Meijer and **S. Akl,** Decomposing a star graph into disjoint cycles 39 (3) (1991) 125–129

Ragde, P., Analysis of an asynchronous PRAM algorithm 39 (5) (1991) 253–256
Ragde, P. and **A. Wigderson,** Linear-size constant-depth polylog-threshold circuits 39 (3) (1991) 143–146
Raghavan, P., *see* **Aggarwal, A.** 40 (3) (1991) 119–122
Rajanarayanan, S. and **S.S. Iyengar,** A new optimal distributed algorithm for the set intersection problem 38 (3) (1991) 143–148
Ramakrishna, M.V., Analysis of random probing hashing 31 (2) (1989) 83–90
Ramalingam, G. and **C. Pandu Rangan,** New sequential and parallel algorithms for interval graph recognition 34 (4) (1990) 215–219
Ramanan, P., Average-case analysis of the Smart Next Fit algorithm 31 (5) (1989) 221–225
Ramesh, S., On the completeness of modular proof systems 36 (4) (1990) 195–201
Randall, J., *see* **Olariu, S.** 31 (1) (1989) 43–46
Rao, N.S.V. and **W. Zhang,** Building heaps in parallel 37 (6) (1991) 355–358
Rao Arikati, S. and **C. Pandu Rangan,** Linear algorithm for optimal path cover problem on interval graphs 35 (3) (1990) 149–153
Ravi, S.S., *see* **Bloniarz, P.A.** 31 (6) (1989) 319–322
Ravikumar, B., *see* **Jiang, T.** 40 (1) (1991) 25–31
Ravn, A.P., *see* **Zhou, C.,** 40 (5) (1991) 269–276
Raynal, M., Prime numbers as a tool to design distributed algorithms 33 (1) (1989/90) 53–58
Raynal, M., A. Schiper and **S. Toueg,** The causal ordering abstraction and a simple way to implement it 39 (6) (1991) 343–350
Reddy, H.N., *see* **Leiss, E.L.** 38 (4) (1991) 197–199
Reif, J., *see* **Pan, V.** 40 (2) (1991) 79–83
Reingold, E.M., *see* **Shen, X.** 40 (6) (1991) 323–328
Rhee, C., *see* **Liang, Y.** 37 (4) (1991) 219–224
Richardson, S. and **M. Ganapathi,** Interprocedural analysis vs. procedure integration 32 (3) (1989) 137–142
Ristori, G., *see* **Fantechi, A.** 39 (2) (1991) 109–114
Rival, I., *see* **Di Battista, G.** 36 (6) (1990) 317–322
Robert, J.M., *see* **Avis, D.** 33 (2) (1989/90) 59–62
Robert, Y., B. Tourancheau and **G. Villard,** Data allocation strategies for the Gauss and Jordan algorithms on a ring of processors 31 (1) (1989) 21–29
Robert, Y., *see* **Grigg, K.** 35 (5) (1990) 239–248
Roberts, G.H., Another note on recursive ascent 32 (5) (1989) 263–266
Robson, J.M., Random access machines with multi-dimensional memories 34 (5) (1990) 265–266
Roelants van Baronaigien, D., A loopless algorithm for generating binary tree sequences 39 (4) (1991) 189–194
Rolim, J.D.P., On the polynomial IO-complexity 33 (4) (1989/90) 199–204
Rönn, S., On the logarithmic evaluation of recurrence relations 40 (4) (1991) 197–199
Rönn, S. and **H. Saikkonen,** Distributed termination detection with counters 34 (5) (1990) 223–227
Rote, G., Computing the minimum Hausdorff distance between two point sets on a line under translation 38 (3) (1991) 123–127
Rote, G., G. Woeginger, B. Zhu and **Z. Wang,** Counting k-subsets and convex k-gons in the plane 38 (4) (1991) 149–151
Rüb, C., *see* **Hagerup, T.** 33 (4) (1989/90) 181–185
Rüb, C., *see* **Hagerup, T.** 33 (6) (1989/90) 305–308
Rubinfeld, R., The cover time of a regular expander is $O(n \log n)$ 35 (1) (1990) 49–51
Rubinfeld, R., *see* **Irani, S.** 39 (2) (1991) 85–91
Rudolph, L., *see* **Feitelson, D.G.** 32 (2) (1989) 81–83
Rytter, W., A note on optimal parallel transformations of regular expressions to nondeterministic finite automata 31 (2) (1989) 103–109
Rytter, W. and **A. Saoudi,** On the complexity of the recognition of parallel 2D-image languages 38 (5) (1990) 225–229
Rytter, W., *see* **Crochemore, M.** 35 (3) (1991) 121–128
Rytter, W., *see* **Crochemore, M.** 38 (2) (1991) 57–60

Sagar, G., A.K. Sarje and **K.U. Ahmed,** On module assignment in two-processor distributed systems: A modified algorithm 32 (3) (1989) 151–153
Saikkonen, H., *see* **Rönn, S.** 34 (5) (1990) 223–227
Sakakibara, Y., On learning from queries and counterexamples in the presence of noise 37 (5) (1991) 279–284
Sakkinen, M., Selftype is a special case 38 (4) (1991) 221–224
Salomaa, K. and **S. Yu,** The immortality problem for Lag systems 36 (6) (1990) 311–315
Sanchis, L.A., On the complexity of test case generation for NP-hard problems 36 (3) (1990) 135–140
Sandhu, R.S., The demand operation in the schematic protection model 32 (4) (1989) 213–219
Saoudi, A., *see* **Rytter, W.** 38 (5) (1991) 225–229
Sarje, A.K., *see* **Sagar, G.** 32 (3) (1989) 151–153

Sarkar, D. and **I. Stojmenović,** An optimal parallel circle-cover algorithm 32 (1) (1989) 3–6
Sarkar, U.K., P.P. Chakrabarti, S. Ghose and **S.C. De Sarkar,** Multiple stack branch and bound 37 (1) (1991) 43–48
Sarwal, A., *see* **Bataineh, A.** 39 (2) (1991) 99–108
Sasaki, G., The effect of the density of states on the Metropolis algorithm 37 (3) (1991) 159–163
Sassano, A., *see* **Bertolazzi, P.** 31 (6) (1989) 299–304
Sassano, A., *see* **Padberg, M.** 32 (6) (1989) 297–300
Schäffer, A.A., Optimal node ranking of trees in linear time 33 (2) (1989/90) 91–96
Scherson, I.D., *see* **Corbett, P.F.** 37 (4) (1991) 225–231
Schiper, A., *see* **Raynal, M.** 39 (6) (1991) 343–350
Schmeichel, E., *see* **Bagchi, A.** 34 (4) (1990) 197–202
Schmidt, G., *see* **Berghammer, R.** 33 (3) (1989/90) 163–168
Schneider, F.B., *see* **Abadi, M.** 40 (3) (1991) 141–142
Schnoebelen, Ph., *see* **Cherief, F.** 40 (4) (1991) 219–222
Schoenmakers, B., *see* **Kaldewaij, A.** 37 (5) (1991) 265–271
Schweikard, A., Trigonometric polynomials with simple roots 39 (5) (1991) 231–236
Sedgewick, R., *see* **Weiss, M.A.** 34 (5) (1990) 267–270
Selkow, S.M., *see* **Murphy, O.J.** 34 (1) (1990) 37–41
Sen, A., *see* **Guha, S.** 40 (5) (1991) 277–281
Sen, S., Finding an approximate median with high probability in constant parallel time 34 (2) (1990) 77–80
Sen, S., Some observations on skip-lists 39 (4) (1991) 173–176
Sengupta, A. and **S. Bandyopadhyay,** Deadlock-free routing in k-ary hypercube network in presence of processor failures 34 (6) (1990) 323–328
Serna, M., Approximating linear programming is log-space complete for P 37 (4) (1991) 233–236
Shachnai, H., *see* **Hofri, M.** 37 (3) (1991) 175–179
Shamir, R., *see* **Hochbaum, D.S.** 31 (4) (1989) 215–219
Sharir, M., A note on the Papadimitriou–Silverberg algorithm for planning optimal piecewise-linear motion of a ladder 32 (4) (1989) 187–190
Sharir, M., *see* **Halperin, D.** 40 (4) (1991) 189–192
Sharma, M.B., S.S. Iyengar and **N.K. Mandyam,** An efficient distributed depth-first-search algorithm 32 (4) (1989) 183–186
Sharma, M.B., *see* **Kumar, D.** 35 (1) (1990) 55–56
Shaw, J.G., *see* **Gunther, N.J.** 33 (6) (1989/90) 289–295
Shen, H., *see* **Hagerup, T.** 36 (2) (1990) 57–63
Shen, X. and **E.M. Reingold,** Scheduling on a hypercube 40 (6) (1991) 323–328
Shermer, T., A counterexample to the algorithms for determining opaque minimal forests 40 (1) (1991) 41–42
Sheu, J.-P., Fault-tolerant parallel k selection algorithm in n-cube networks 39 (2) (1991) 93–97
Sheu, J.-P. and **Z.-F. Chiang,** Efficient allocation of chain-like task on chain-like network computers 36 (5) (1990) 241–245
Sheu, J.-P. and **J.-S. Tang,** Efficient parallel k selection algorithm 35 (6) (1990) 313–316
Shih, W.-K. and **W.-L. Hsu,** An $O(n \log n + m \log \log n)$ maximum weight clique algorithm for circular-arc graphs 31 (3) (1989) 129–134
Shiraishi, S., A parallel algorithm for the maximum 2-chain edge packing problem 32 (6) (1989) 277–279
Shmoys, D.B. and **D.P. Williamson,** Analyzing the Held–Karp TSP bound: A monotonicity property with application 35 (6) (1990) 281–285
Shmueli, O., *see* **Matsliach, G.** 34 (6) (1990) 313–321
Shonkwiler, R., Computing the Hausdorff set distance in linear time for any L_p point distance 38 (4) (1991) 201–207
Shoudai, T., The lexicographically first topological order problem is NLOG-complete 33 (3) (1989/90) 121–124
Shoup, V., On the deterministic complexity of factoring polynomials over finite fields 33 (5) (1989/90) 261–267
Shoup, V., Smoothness and factoring polynomials over finite fields 38 (1) (1991) 39–42
Shvartsman, A.A., Achieving optimal CRCW PRAM fault-tolerance 39 (2) (1991) 59–66
Sideris, M., On attribute grammars without attribute synthesis 35 (2) (1990) 103–109
Siklóssy, L. and **E. Tulp,** The Space Reduction Method: A method to reduce the size of search spaces 38 (4) (1991) 187–191
Silvestri, R., *see* **Crescenzi, P.** 33 (5) (1989/90) 221–226
Silvestri, R., *see* **Crescenzi, P.** 40 (1) (1991) 1–5
Simon, H.U., The Vapnik–Chervonenkis dimension of decision trees with bounded rank 39 (3) (1991) 137–141
Simonson, S., Routing with critical paths 34 (1) (1990) 13–19
Siromoney, R. and **L. Mathew,** A public key cryptosystem based on Lyndon words 35 (1) (1990) 33–36
Sistla, A.P., On verifying that a concurrent program satisfies a nondeterministic specification 32 (1) (1989) 17–23
Sistla, A.P., Proving correctness with respect to nondeterministic safety specifications 39 (1) (1991) 45–49
Skiena, S.S., Reconstructing graphs from cut-set sizes 32 (3) (1989) 123–127
Skillicorn, D.B. and **D.T. Barnard,** Parallel parsing on the connection machine 31 (3) (1989) 111–117
Skillicorn, D.B., *see* **Barnard, D.T.** 35 (2) (1990) 79–84
Skyum, S., A simple algorithm for computing the smallest enclosing circle 37 (3) (1991) 121–125
Sleator, D.D., *see* **Ginat, D.** 31 (1) (1989) 3–5
Slobodová, A., One-way globally deterministic synchronized alternating finite automata recognize exactly deterministic context-sensitive languages 36 (2) (1990) 69–72
Smid, M.H.M., *see* **Ching, Y.-T.** 35 (1) (1990) 37–40
Smith, C.J., *see* **Manacher, G.K.** 35 (4) (1990) 205–211
Snyder, T.L., Lower bounds for rectilinear Steiner trees in bounded space 37 (2) (1991) 71–74
Snyder, T.L., Lower bounds for rectilinear Steiner trees (*Corrigendum*) 38 (5) (1991) 279
Sohoni, M.A., *see* **Loui, M.C.** 35 (5) (1990) 223–228
Spinrad, J.P., Finding large holes 39 (4) (1991) 227–229
Spirakis, P., *see* **Kavadias, D.** 39 (5) (1991) 245–252
Sreenivasa Rao, D. and **J.D. Provence,** An integrated approach to routing and via minimization 39 (5) (1991) 257–263
Srikant, R. and **K. Krithivasan,** Fastest path across con-

strained moving rectilinear obstacles 37 (6) (1991) 349–353
Srikant, Y.N., *see* **Gibbons, A.M.** 32 (6) (1989) 305–311
Srinivasa Rao, A. and **C. Pandu Rangan,** Linear algorithm for domatic number problem on interval graphs 33 (1) (1989/90) 29–33
Srinivasa Rao, A. and **C. Pandu Rangan,** Optimal parallel algorithms on circular-arc graphs 33 (3) (1989/90) 147–156
Stålmarck, G., A note on the computational complexity of the pure classical implication calculus 31 (6) (1989) 277–278
Stein, C., *see* **Klein, P.** 34 (6) (1990) 307–312
Stewart, I.A., An algorithm for colouring perfect planar graphs 31 (2) (1989) 97–101
Stewart, I.A., Complete problems for symmetric logspace involving free groups 40 (5) (1991) 263–267
Steyaert, J.M., *see* **Casas, R.** 31 (5) (1989) 227–232
Stöhr, E., Broadcasting in the Butterfly network 39 (1) (1991) 41–43
Stojmenović, I., Bisections and ham-sandwich cuts of convex polygons and polyhedra 38 (1) (1991) 15–21
Stojmenovic, I., *see* **Akl, S.G.** 33 (3) (1989/90) 135–139
Stojmenović, I., *see* **Sarkar, D.** 32 (1) (1989) 3–6
Strothotte, Th., *see* **Carlsson, S.** 31 (6) (1989) 315–317
Subrahmanian, V.S., *see* **Chomicki, J.** 34 (6) (1990) 289–291
Subramaniyam, R.V. and **A.A. Diwan,** A counterexample for the sufficiency of edge guards in star polygons 40 (2) (1991) 97–99
Sundar, R., Worst-case data structures for the priority queue with attrition 31 (2) (1989) 69–75
Suri, S., *see* **Aggarwal, A.** 35 (1) (1990) 13–18
Suzuki, H., N. Takahashi and **T. Nishizeki,** A linear algorithm for bipartition of biconnected graphs 33 (5) (1989/90) 227–231
Szepietowski, A., Some remarks on the alternating hierarchy and closure under complement for sublogarithmic space 33 (2) (1989/90) 73–78
Szepietowski, A., Some notes on strong and weak log log n space complexity 33 (2) (1989/90) 109–112

Tai, H.-M., *see* **Wu, C.-H.** 35 (6) (1990) 305–311
Takahashi, N., *see* **Suzuki, H.** 33 (5) (1989/90) 227–231
Takaoka, T., *see* **Dey, P.** 34 (2) (1990) 65–69
Tamassia, R., An incremental reconstruction method for dynamic planar point location 37 (2) (1991) 79–83
Tamassia, R., I.G. Tollis and **J.S. Vitter,** Lower bounds for planar orthogonal drawings of graphs 39 (1) (1991) 35–40
Tan, X.-H., T. Hirata and **Y. Inagaki,** The intersection searching problem for c-oriented polygons 37 (4) (1991) 201–204
Tanaka, Y., A dual algorithm for the satisfiability problem 37 (2) (1991) 85–89
Tanca, L., *see* **Ceri, S.** 33 (2) (1989/90) 97–107
Tanca, L., *see* **Lambrichts, E.** 35 (3) (1990) 115–120
Tang, C.-Y., *see* **Chang, M.S.** 35 (5) (1990) 255–260
Tang, C.Y., *see* **Chen, W.-H.** 40 (3) (1991) 145–148
Tang, C.Y., *see* **Hsiao, J.Y.** 40 (5) (1991) 283–287
Tang, J.-S., *see* **Sheu, J.-P.** 35 (6) (1990) 313–316
Tang, S., *see* **Book, R.V.** 33 (3) (1989/90) 141–143
Tarjan, R.E., *see* **Fung, K.Y.** 35 (2) (1990) 85–92
Tarjan, R.E., *see* **Ginat, D.** 31 (1) (1989) 3–5
Tarjan, R.E., *see* **Goldberg, A.V.** 31 (5) (1989) 265–271
Tate, S.R., *see* **Kao, M.-Y.** 38 (3) (1991) 113–116
Taubenfeld, G., Leader election in the presence of $n-1$ initial failures 33 (1) (1989/90) 25–28
Taubenfeld, G., On the nonexistence of resilient consensus protocols 37 (5) (1991) 285–289
Taubner, D., A note on the notation of recursion in process algebras 37 (6) (1991) 299–303
Tel, G. and **F. Mattern,** Comments on "Ring based termination detection algorithm for distributed computations" 31 (3) (1989) 127–128
Tel, G., *see* **Bodlaender, H.L.** 36 (1) (1990) 53–56
Tel, G., *see* **Van Gasteren, A.J.M.** 35 (6) (1990) 277–279
Teng, S.-H., Space efficient Processor Identity Protocol 34 (3) (1990) 147–154
Teo, K.-H. and **T.-C. Tuan,** Performance analysis of greedy heuristic to find a minimum total-jogs layout for river routing 36 (4) (1990) 167–170
Teo, K.-H. and **T.-C. Tuan,** An improved upper bound on the number of intersections between two rectangular paths 37 (6) (1991) 305–309
Thome, W. and **R. Wilhelm,** Simulating circular attribute grammars through attribute reevaluation 33 (2) (1989/90) 79–81
Tipper, J.C., A straightforward iterative algorithm for the planar Voronoi diagram 34 (3) (1990) 155–160
To, V.T., *see* **Malhotra, V.M.** 31 (4) (1989) 185–189
Toda, S., On the complexity of topological sorting 35 (5) (1990) 229–233
Tollis, I.G., *see* **Tamassia, R.** 39 (1) (1991) 35–40
Toueg, S., *see* **Raynal, M.** 39 (6) (1991) 343–350
Tourancheau, B., *see* **Robert, Y.** 31 (1) (1989) 21–29
Toyama, Y., Fast Knuth–Bendix completion with a term rewriting system compiler 32 (6) (1989) 325–328
Tsai, K.-H., *see* **Hsu, W.-L.** 40 (3) (1991) 123–129
Tsalgatidou, A., Modelling and animating information systems dynamics 36 (3) (1990) 123–127
Tseng, S.S., *see* **Kuo, R.T.** 34 (5) (1990) 261–263
Tsitsiklis, J.N., On the use of random numbers in asynchronous simulation via rollback 31 (3) (1989) 139–144
Tuan, T.-C., *see* **Teo, K.-H.** 36 (4) (1990) 167–170
Tuan, T.-C., *see* **Teo, K.-H.** 37 (6) (1991) 305–309
Tucci, M., G. Costagliola and **S.-K. Chang,** A remark on NP-completeness of picture matching 39 (5) (1991) 241–243
Tulp, E., *see* **Siklóssy, L.** 38 (4) (1991) 187–191
Turau, V., Fixed-radius near neighbors search 39 (4) (1991) 201–203
Turski, W.M., On starvation and some related issues 37 (3) (1991) 171–174
Tuza, Zs., Periodic string division generated by deterministic L systems 34 (5) (1990) 229–234

Uhlmann, J.K., Satisfying general proximity/similarity queries with metric trees 40 (4) (1991) 175–179
Uhrig, C., *see* **Mehlhorn, K.** 35 (3) (1990) 137–143
Ural, H., *see* **Boyd, S.** 40 (3) (1991) 131–136
Urbanek, F., *see* **Baron, G.** 32 (5) (1989) 267–269

Vágvölgyi, S., *see* **Fülöp, Z.** 33 (1) (1989/90) 3–5
Vágvölgyi, S., *see* **Fülöp, Z.** 36 (6) (1990) 293–296
Vakali, A., *see* **Manolopoulos, Y.** 37 (1) (1991) 37–42
Van den Bos, J., PROCOL: A protocol-constrained concurrent object-oriented language 32 (5) (1989) 221–227
Van de Snepscheut, J.L.A., Inversion of a recursive tree traversal 39 (5) (1991) 265–267
Van Gasteren, A.J.M. and **G. Tel,** Comments on "on the proof of a distributed algorithm": always-true is not invariant (*Letter to the Editor*) 35 (6) (1990) 277–279
Van Gucht, D., *see* **Abiteboul, S.** 32 (6) (1989) 317–324
Van Gucht, D., *see* **Gyssens, M.** 36 (5) (1990) 259–266
Van Wyk, C.J., *see* **Fung, K.Y.** 35 (2) (1990) 85–92
Vardi, M.Y., Endmarkers can make a difference 35 (3) (1990) 145–148
Varma, A., Fault-tolerant routing in unique-path multistage interconnection networks 31 (4) (1989) 197–201
Vavasis, S.A., Quadratic programming is in NP 36 (2) (1990) 73–77
Veni Madhavan, C.E., *see* **Dasgupta, B.** 33 (1) (1989/90) 35–44
Veroy, B.S., Optimal search algorithm for a minimum of a discrete periodic bimodal function (*Corrigenda*), and Average complexity of divide-and-conquer algorithms (*Corrigenda*) 32 (6) (1989) 329
Vidyasankar, K., A very simple construction of 1-writer multireader multivalued atomic variable 37 (6) (1991) 323–326
Villard, G., *see* **Robert, Y.** 31 (1) (1989) 21–29
Vitter, J.S., *see* **Tamassia, R.** 39 (1) (1991) 35–40
Vohra, R.V., *see* **Foster, D.P.** 31 (6) (1989) 287–290
Vongsathorn, P., *see* **Carson, S.D.** 31 (4) (1989) 209–213
Von Stengel, B., An algebraic characterization of semantic independence 39 (6) (1991) 291–296
Von Wright, J., Program inversion in the refinement calculus 37 (2) (1991) 95–100
Vrťo, I., *see* **Ďuriš, P.** 37 (3) (1991) 137–141
Vyskoč, J., Making bubblesort recursive (*Note*) 36 (4) (1990) 219–220

Wachenchauzer, R., *see* **Martínez, A.D.** 34 (1) (1990) 31–35
Wan, S.J. and **S.K.M. Wong,** An adaptive algorithm for finding a covering hypersphere 33 (1) (1989/90) 7–10
Wand, M., A short proof of the lexical addressing algorithm 35 (1) (1990) 1–5
Wang, B.-F., C.-L. Chen and **G.-H. Chen,** A simple approach to implementing multiplication with small tables 37 (6) (1991) 327–329
Wang, B.-F., G.-H. Chen and **F.-C. Lin,** Constant time sorting on a processor array with a reconfigurable bus system 34 (4) (1990) 187–192
Wang, B.-F. and **G.-H. Chen,** Two-dimensional processor array with a reconfigurable bus system is at least as powerful as CRCW model 36 (1) (1990) 31–36
Wang, C.-J., *see* **Wu, C.-H.** 35 (6) (1990) 305–311
Wang, C.-l., Obtaining lazy evaluation with continuations in scheme 35 (2) (1990) 93–97
Wang, J.-T., *see* **Chen, W.-H.** 36 (1) (1990) 7–11
Wang, Q. and **K.H. Cheng,** List scheduling of parallel tasks 37 (5) (1991) 291–297
Wang, X., On the complexity of the extreme points decision problem 40 (2) (1991) 101–106
Wang, Z., *see* **Rote, G.** 38 (4) (1991) 149–151
Wanke, E. and **M. Wiegers,** Undecidability of the bandwidth problem on linear graph languages 33 (4) (1989/90) 193–197
Warren Burton, F., A note on higher-order functions versus logical variables 31 (2) (1989) 91–95
Weber, R., *see* **Dederichs, F.** 36 (1) (1990) 25–30
Weber, R., *see* **Dederichs, F.** 40 (3) (1991) 143
Wechsung, G., *see* **Beigel, R.** 37 (2) (1991) 91–94
Wee, Y.C., S. Chaiken and **D.E. Willard,** On the angle restricted nearest neighbor problem 34 (2) (1990) 71–76
Wegener, I., Efficient simulation of circuits by EREW prams 35 (2) (1990) 99–102
Wein, J., Las Vegas RNC algorithms for unary weighted perfect matching and T-join problems 40 (3) (1991) 161–167
Weiss, M.A. and **R. Sedgewick,** More on shellsort increment sequences 34 (5) (1990) 267–270
Wen, Z., Parallel multiple search 37 (4) (1991) 181–186
Wenger, R., *see* **Avis, D.** 33 (2) (1989/90) 59–62
Wiederhold, G., *see* **Ceri, S.** 33 (2) (1989/90) 97–107
Wiegers, M., *see* **Wanke, E.** 33 (4) (1989/90) 193–197
Wigderson, A., *see* **Ragde, P.** 39 (3) (1991) 143–146
Wilber, R., *see* **Hellerstein, L.** 35 (5) (1990) 261–267
Wilhelm, R., *see* **Thome, W.** 33 (2) (1989/90) 79–81
Wilkinson, R., *see* **Hingston, P.** 33 (6) (1989/90) 313–317
Willard, D.E., *see* **Wee, Y.C.** 34 (2) (1990) 71–76
Williams, M.A., *see* **Fernández-Baca, D.** 38 (3) (1991) 117–121
Williamson, D.P., *see* **Shmoys, D.B.** 35 (6) (1990) 281–285
Woeginger, G., A simple solution to the two paths problem in planar graphs 36 (4) (1990) 191–192
Woeginger, G., On minimizing the sum of k tardinesses 38 (5) (1991) 253–256
Woeginger, G., *see* **Rote, G.** 38 (4) (1991) 149–151
Wolfram, D.A., Forward checking and intelligent backtracking 32 (2) (1989) 85–87
Wong, K.-F., Comments on "A comparison of concatenated and superimposed code word surrogate files for very large data/knowledge bases" 33 (1) (1989/90) 45–52
Wong, S.K.M., *see* **Wan, S.J.** 33 (1) (1989/90) 7–10
Wong, W.S., *see* **Morris, R.J.T.** 39 (4) (1991) 213–217
Woo, T.-K., *see* **Block, K.** 35 (5) (1990) 219–222
Wu, C.-H., C.-J. Wang and **H.-M. Tai,** Application of exponential hetero-associative memory on frequency classifier 35 (6) (1990) 305–311

Wu, S., U. Manber, G. Myers and **W. Miller,** An O(*NP*) sequence comparison algorithm 35 (6) (1990) 317–323
Wu, X., Fast approximations to discrete optimal quantization 31 (4) (1989) 175–179
Wu, Y., *see* **Yu, B.** 37 (1) (1991) 55–59

Yang, C.-B., Reducing conflict resolution time for solving graph problems in broadcast communications 40 (6) (1991) 295–302
Yang, J.D. and **Y.J. Lee,** A sound and complete query evaluation for Implicit Predicate which is a semantic descriptor of unknown values 39 (5) (1991) 283–289
Yang, Y.X., New enumeration results about the optical orthogonal codes 40 (2) (1991) 85–87
Yee, C.N., *see* **Allison, L.** 40 (6) (1991) 317–322
Yeh, Z.C., *see* **Chen, Y.C.** 32 (2) (1989) 89–93
Yen, C.-C. and **R.C.T. Lee,** The weighted perfect domination problem 35 (6) (1990) 295–299
Yen, H.-C., A polynomial time algorithm to decide pairwise concurrency of transitions for 1-bounded conflict-free Petri nets 38 (2) (1991) 71–76
Yoccoz, S., Recursive ω-rule for proof systems 31 (6) (1989) 291–294
Yodaiken, V., Modal functions for concise definition of state machines and products 40 (2) (1991) 65–72
Young, G.H., *see* **Leung, J.Y.-T.** 34 (1) (1990) 47–50
Yu, B., X. Lin and **Y. Wu,** The tree representation of the graph used in binary image processing 37 (1) (1991) 55–59
Yu, H.-P., *see* **Chen, N.-S.** 39 (3) (1991) 147–151
Yu, S., A pumping lemma for deterministic context-free languages 31 (1) (1989) 47–51
Yu, S., *see* **Salomaa, K.** 36 (6) (1990) 311–315
Yuan, S.-M., The communication complexity for decentralized evaluation of functions 35 (4) (1990) 177–182
Yuan, S.-M., Topological properties of supercube 37 (5) (1991) 241–245

Zargham, M.R. and **K.J. Danhof,** Toward a definition of fault analysis for Petri nets models 34 (6) (1990) 299–305
Žerovnik, J., A randomised heuristical algorithm for estimating the chromatic number of a graph 33 (4) (1989/90) 213–219
Zhang, W., *see* **Rao, N.S.V.** 37 (6) (1991) 355–358
Zhang, X., Overlap closures do not suffice for termination of general term rewriting systems 37 (1) (1991) 9–11
Zhou, C., C.A.R. Hoare and **A.P. Ravn,** A calculus of durations 40 (5) (1991) 269–276
Zhu, B., *see* **Rote, G.** 38 (4) (1991) 149–151
Zhu, Y., *see* **Ahuja, M.** 35 (1) (1990) 7–11
Ziani, R., *see* **Gibbons, A.** 37 (2) (1991) 101–109
Zierer, H., *see* **Berghammer, R.** 33 (3) (1989/90) 163–168
Zippel, R., An explicit separation of relativised random polynomial time and relativised deterministic polynomial time 33 (4) (1989/90) 207–212
Zivkovic, D., A fast algorithm for finding the compact sets 38 (6) (1991) 339–342
Zuckerman, D., On the time to traverse all edges of a graph 38 (6) (1991) 335–337
Žunić, J.D., *see* **Acketa, D.M.** 38 (3) (1991) 163–169
Zwick, U., An extension of Khrapchenko's theorem 37 (4) (1991) 215–217